SAFETY DATA SHEET

.1	Product Identifier:	KEVIN.MURPHY ANTI.GRAVITY.SPRAY						
	Product Codes:	VA-KM-00024, PN-KM-00023						
.2	Relevant Identified Uses:	Personal Care - Hair Spray						
	Uses Advised Against:	None known						
.3	Supplier of Safety Data Sheet:	Kevin Murphy Business Services Pty Ltd 47 Discovery, Suite 230, Irvine, CA 92618, USA 949-407-5100 KMRegulatory@kevinmurphy.com.au						
		+45 20 20 34	Europe A/S 63A, DK-143 56	2 Copenhagen K hy.com.au	Australia Ozdare Pty 7 Endeavou Sunshine W +61 3 9314	ır Way est VIC 3020, Australia		
4	Emergency Telephone Number:	CHEMTEL: 1-800-255-3924 (North America), +1-813-248-0585 (International) 1-300-954-583 (Australia), 800-099-0731 (Mexico), 000-800-100-4086 (India), 400-120-0751 (China) Australia Poisons Information Centre: 13 11 26						
		revin.iviurphy	Chemiei Co	muaci number: Available	upon request	at KMRegulatory@kevinmu	upny.com.au	
FC	TION 2: Hazards Ide	entification						
			ical health ar	nd environmental hazards	and the follo	wing classification applies.		
1	Classification of the				s, and the lone	wing classification applies.		
•		Physical Hazards: Flammable Liquid - Category 3 Health Hazards: Not Classified						
	Substance of winkture.	Environmental Hazards: Not Classified						
2	Labeling Elements:	Hazard Signal Word: Warning Hazard						
	3			: Flammable Liquid and V	/apour.		Pictograms:	
		Precautionary Statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P403+P235: Store in well ventilated place. Keep cool. P102: Keep out of reach of children. P103: Read label before use. P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.						
.3	Other Hazards:	EUH208: Contains linalool. May produce an allergic reaction. No known other hazards which do not result in classification. Mixture does not meet the criteria for PBTs or vPvBs in accordance to Regulation (EC) No. 1907/2006, Annex XIII.						
	CTION 3: Compositio	n / Informati	on on Ingre	edients				
	Mixtures: MICAL NAME	CAS No.	EC No.	Hazard Classifica	tion I	Hazard Statements	% by \Mai=	
ΠĖ	nol	64-17-5	200-578-6	Flammable Liquid, Cate	H22	25: Highly flammable liquid	% by Weig	

SAFETY DATA SHEET

SEC	TION 4: First Aid Me	asures
4.1	Description of First	<u>Ingestion</u> : In case of ingestion, do not induce vomiting without medical advice. Give victim several glasses of
4.1	Aid Measures:	water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.
		<u>Eves</u> : In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction or if symptoms persist.
		Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.
4.2	Most Important	
	Symptoms and Effects, Both Acute and Delayed:	No information available.
4.3	Indication of Immediate Medical Attention and Special	Provide general supportive measures and treat symptomatically. No known specific antidotes.
	Treatment Needed:	
SEC	TION 5: Eirofiahtina	Moseuros
5.1	TION 5: Firefighting Extinguishing Media:	Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide.
		Unsuitable Extinguishing Media: None known.
5.2	Special Hazards Arising from the	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.
5.3	Substance or Mixture: Advice for	Wear self-centained breathing apparatus and full personal protective general locatendard firefighting
5.3	Firefighters:	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.
	i ireligitiers.	procedures.
SEC	TION 6: Accidental I	Release Measures
6.1	Personal	
	Precautions,	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of
		ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary
	and Emergency	personnel away.
	Procedures:	
6.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.
6.3		Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Place all
	for Containment and	sweepings and absorbents into suitable containers for disposal. Use non-sparking tools and equipment.
L	Cleaning Up:	Take action to prevent static discharges.
6.4	Reference to Other	For personnel protection, see Section 8. For waste disposal, see Section 13.
	Sections:	i of personner protection, see Section 6. For waste disposal, see Section 13.
SEC	TION 7: Handling an	d Storage
7.1	Precautions for Safe	Do not use near open flames, sparks or other ignition sources. Utilize safe handling and transportation
	Handling:	techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Do not eat, drink, or smoke while handling. Wash hands thoroughly after handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.
7.2	Conditions for Safe	Store in a cool, dry, and well-ventilated area away from direct sun-light. Do not expose to high temperatures.
	Storage, Including Any Incompatibilities:	Do not store near heat, hot surfaces, sparks, open flames and other ignition sources. Store away from incompatible materials (see Section 10).
7.3	Specific End Use(s):	No further relevant information available.

SAFETY DATA SHEET

SEC	TION 8: Exposure C	ontrols / Personal P	rotection								
	Control Parameters:			Occupational Exposure Limits							
		CHEMICAL NAME	CAS	OSHA PEL	NIOSH REL	ACGIH	EU				
			Number	(TWA)	(TWA)	TLV	IOELV - BOELV				
				1000 ppm	1000 ppm	1000 ppm	Not established				
		Ethanol	64-17-5	1900 mg/m ³	1900 mg/m ³	(STEL)	(1)				
		US IDHL: Ethanol - 3300 ppm (10% of LEL)									
		(1) Reference EU member state occupational exposure limits.									
	Recommended	Workplace atmospheric	monitoring may	be required to de	termine the effe	ctiveness of the	ventilation or other				
		control measures and/o									
	Procedures:	standards, such as US	NIOSH and OS	HA Measurement	Methods, Europ	ean Standards I	EN 689 and EN				
482. Reference national guidance documents for methods for the of Biological Limit Values: This product does not contain substances with biological exposure						ination of hazar	dous substances.				
						alues.					
	Derived No Effect	No information available									
	Level (DNEL):	NO IIIIOIIIIation available	;								
	Predicted No Effect										
		No information available	•								
	(PNEC):										
8.2	Exposure Controls:	T									
	Appropriate	Provide adequate venti	lation in the wor	kplace to maintain	airborne levels	below recomme	nded exposure				
	Engineering Controls:			, , ,		1 . 117 .0					
	Eye/Face Protection:	Avoid eye contact. Wea	ir protective eye	wear (e.g., safety	glasses with sid	e-shield) if eye c	contact hazards				
	Older and Hand	exist in the workplace.				:-:					
		No special skin protection repeated skin contact w	·	-			-				
		•									
Respiratory If airborne exposure limits are exceeded, wear suit				u, wear suitable re	spirator triat me	ets cullent occu	pational nealth				
Protection: and safety standards. Thermal Hazards: Refer to Section 5 for fire personal protective equipment. Hygiene Measures: Do not eat, drink or smoke during product use or handling. Wash ha											
					g. Wash hands a	after handling. C	bserve good				
	personal hygiene measures. Routinely wash work clothing and protective						Ü				
Environmental Environmental manager must be informed of all major releases.					eases						
	Exposure Controls:										
SEC	TION 9. Physical an	d Chemical Properti	ies.								
		Physical and Chemical									
		Colorless, clear to slight									
		Floral	, ,								
	Odor Threshold:	No data available on th	is product								
	•	6.0 - 7.0									
		No data available on th									
	Freezing Point:	No data available on th	is product								
	Initial Boiling	No data available on th	is product								
	3 3	24.5°C (76°F): closed c									
		No data available on th									
	Flammability (solid,										
	gas):	No data available on th	is product								
	Upper/Lower	UEL: 19.0% (Ethanol)									
	Flammability or	LEL: 3.3% (Ethanol)									
	Explosive Limits:	` '									
		No data available on th									
		No data available on th	is product								
	Relative Density	0.910 - 0.930									
	(water=1.0): Solubility (in water):	Soluble									
	Joinning (iii water):	Colubic									

SAFETY DATA SHEET

ANTI.GRAVITY.SPRAY Revision Date: 06Oct21 SDS-000035-09

	Partition Coefficient	Ethanol: -0.31 Log K _{ow}				
	(11 11 11 11 11 11 11 11 11 11 11 11 11					
	Autoignition	No data available on this product				
	remperature.					
	Decomposition	No data available on this product				
	Temperature:	The data available on this product				
	Viscosity:	No data available on this product				
	Explosive Properties:	No data available on this product				
	Oxidizing Properties:	No data available on this product				
9.2	Other Information:	No relevant additional information available on this product.				
SEC	TION 10: Stability ar	nd Reactivity				
10.1	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.				
10.2	Chemical Stability:	The product is stable under normal handling and storage conditions.				
10.3	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.				
	Hazardous Reactions:	The flazardous reactions known under conditions of holliar use. Hazardous polymerization is not expected.				
10.4	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.				
10.5	Incompatible	Strong acids, bases, and oxidizing agents.				
	Materials:	energ adds, saces, and exidency agents.				
10.6	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on				
I	Decomposition	Icombustion.				
	Products:					
SEC	TION 11: Toxicologic	cal Information				

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects: No data available on the mixture. Health effects of the mixture are derived from component literature review and concentrations present. If available, relevant toxicological properties of the components that contribute to classification of the mixture in Section 3 are provided. Evaluations for the mixture may be based on additional information not shown. The product uses ingredients presented herein from suppliers that have not tested the ingredients on animals for cosmetic purposes since the 11-March-2009 time table set forth by the EU Commission in accordance with EU Cosmetic Directive (EC) No. 1223/2009.

223/2009.	vialent 2000 time table set forth by the EO commission in accordance with EO cosmette blicetive (EO) No.					
Potential Acute	Eye Exposure: No adverse effects expected from normal use. Spraying directly in the eyes may cause					
Health Effects and	slight, transient discomfort/irritation.					
Symptoms:	Skin Exposure: No adverse effects expected from normal use. Prolonged or repeated skin exposure may					
	cause defatting, drying and cracking of the skin.					
	Ingestion: May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may					
	cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness and					
	drowsiness).					
	Inhalation: No adverse effects expected from normal use. Excessive inhalation may cause nausea,					
	vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).					
Potential Chronic	None known					
Health Effects:	INOTE KITOWIT					
Acute Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met.					
	Ethanol : CAS 64-17-5					
	Oral LD50: 7060 mg/kg (Rat)					
	Dermal LD50: 20,000 mg/kg (Rabbit)					
	Inhalation LC50: > 60,000 ppm (114 mg/L), 1 hour (Mouse)					
	Product Summary/Conclusion: Based on available data, classification criteria are not met.					
Irritation:	Ethanol : CAS 64-17-5					
	Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin					
	Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repear					
	dose situations					
	Product Summary/Conclusion: Based on available data, classification criteria are not met.					
Damage/Irritation:	Ethanol : CAS 64-17-5					
	Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Moderately irritating					
	Draize Eye Irritation, Rabbit (25-50% active): Non-irritating					
	Product Summary/Conclusion: Based on available data, classification criteria are not met.					
Sensitization:	Ethanol: CAS 64-17-5					
	Respiratory Sensitization: No reports of human respiratory sensitization					

Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.

SAFETY DATA SHEET

1 7	Garm Call	Product Sum	mary/Conclusion: Ba	sed on available data classific	ation criteria are not met. No components			
			=		EU Regulation (EC) No. 1272/2008 [CLP].			
	matagementy.	Ethanol: CAS		170 are lieted as a matager in t	20 Nogalation (20) No. 1212/2000 [021].			
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium						
		maximun	n plate concentration	of 10 mg/plate, with and withou	t metabolic activation			
		No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/2008 [CLP], IARC, US-OSHA, or NTP.						
					ation criteria are not met. No components			
	Toxicity:	at levels grea 1272/2008 [C	•	1% are listed as a reproductive	toxin in EU Regulation (EC) No.			
		Ethanol: CAS 64-17-5 Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest concentration tested)						
		Prenatal	Developmental Toxici	ty, OECD 414, Rat, Inhalation: 00 ppm (highest concentration	NOAEL (maternal toxicity) 16,000 ppm, tested)			
	STOT-Single Exposure:			ion criteria are not met.				
		Product Sum	mary/Conclusion: Ba	ased on available data, classific	ation criteria are not met.			
		Ethanol: CAS						
		90-Day (Oral Toxicity, Mouse: N	IOAEL > 9400 mg/kg (total dos	e), LOAEL 9700 mg/kg			
		Repeate	d Dose Inhalation Tox	kicity, Rat, 4 weeks (6 hours/day	y, 5 days/week): NOAEC <u>≥</u> 6130 ppm			
	Aspiration Hazard:	Not classified	due to lack of data.					
	Other Information:	No other relev	vant information availa	ble.				
_	TION 12: Ecological							
12.1	Toxicity:			ased on available data, classific	ation criteria are not met.			
			thanol: CAS 64-17-5					
			Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia					
		Fish LC50: 12,340 mg/L, 48 nours (Daphnia magna); EC50: 23,874 mg/L, 24 nours (Artema Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)						
12.2	Persistence and	Ethanol: CAS 64-17-5						
	Degradability:	Readily I	Readily biodegradable					
	Bioaccumulative Poter	ntial:						
	Partition Coefficient:	icient: Ethanol (CAS 64-17-5): -0.31 (Log K _{ow}) /water tration						
	n-octanol/water							
	Bioconcentration Factor (BCF):							
	Mobility in Soil:	No data avail	able					
	Results of PBT and	Not available						
	vPvB Assessment:							
	Other Adverse	No other know	wn adverse environme	ental effects or critical hazards.				
	Effects:							
SEC	TION 13: Disposal C	onsideratio	ns					
	Waste Treatment Meth							
	Waste Disposal:	Dispose of waste material and containers in accordance with appropriate local, state, regional, and national regulations. Do not dispose through sewage. Empty containers should be taken to an approved waste handling site for recycling or disposal. U.S. EPA Waste Number: RCRA D001/Unlisted Ignitable Hazardous Waste.						
	Special Precautions: Observe all precautions for ignitable waste.							
SEC	TION 14: Transport	Information						
SEC	Shipment in Consumer							
Par	Snipment in Consumer ckaging - Limited Quantity:	US DOT	IMDG	IATA	ADR (Road)			
	Maximum gross weight per package ≤ 30 kg		(Sea)	(Air)	RID (Rail) ADN (Inland Waterways)			
14.1	UN Number:	Not applicable	UN1170	ID8000	Not applicable			

SAFETY DATA SHEET

Revision Date: 06Oct21 SDS-000035-09

ANTI.GRAVITY.SPRAY

14.2	UN Proper Shipping Name:	Not applicable	Ethanol Solution	Consumer Commodity	Not applicable		
14.3	Transport Hazard Classes:	Not applicable	3	9	Not applicable		
		\Diamond	\Diamond	*	\Diamond		
	Packing Group:	Not applicable	III	Not applicable	Not applicable		
14.5	Environmental Hazards:	None	None	None	None		
14.6	Special Precautions for User:	Transport with before handling		ansport in closed containers tha	at are upright and secure. Read SDS		
14.7	Transport in Bulk According to Annex II of Marpol and the IBC Code:	Not applicable	3				
	TION 15: Regulatory						
15.1				n Specific for the Substance of 10) and Annexes XIV and XVII	or Mixture: I, as amended: No components in this		
	EU Directive 2012/18/EU on major accident hazards involving dangerous substances: Ethanol (CAS 64-17-5)						
	• • •			t deplete the ozone layer, Anr	nex I and II, as amended: No		
	components in this			is nellutents. Annoy I so sma	ended: No components in this product are		
	listed.	NO. 650/2004	on persistent organ	ic politiants, Allilex I, as allie	inded. No components in this product are		
	EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as						
	amended: No comp						
	EU Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: No components in this product are						
	listed. National Regulation	ns of FII Mem	her States: Follow nat	tional regulations for work with a	chemical agents		
	National Regulations of EU Member States: Follow national regulations for work with chemical agents. German Water Hazard Class (WGK) for Mixture: WGK 1						
		•	nts in this product are				
		•	s in this product are li				
	US SARA 311/312:	Not applicable	- product is exempt.				
		<u> </u>	this product are listed				
	US CERCLA RQ: RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs						
	US Clean Air Act (CAA) Section 112(r) TQ: No components in this product are listed.						

Legena to
Abbreviations:

15.2 Chemical Safety

Assessment:

ACGIH: American Conference of Governmental Industrial Hygienists

No Chemical Safety Assessment has been carried out.

ADN: European Agreement Concerning International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement Concerning International Carriage of Dangerous Goods by Road

BOELV: Binding Occupational Exposure Limit Values

US Clean Water Act (CWA): No components in this product are listed.

US State Regulations: Follow state regulations for work with chemical agents.

CAS: Chemical Abstracts Service

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

CLP: Classification, Labelling and Packaging of Substances and Mixtures

DOT: (US) Department of Transportation

EC: European Commission

EC50: Effective Concentration, 50%

EPA: (US) Environmental Protection Agency

EU: European Union

GHS: Globally Harmonized System of Classification and Labelling Chemicals

SAFETY DATA SHEET

	Tuno de la companya del companya de la companya de la companya del companya de la
	IARC: International Agency for the Research of Cancer
	IATA: International Air Transport Association
	IBC: Intermediate Bulk Container
	IDHL: Immediately Dangerous to Life or Health Concentrations
	IMDG: International Maritime Dangerous Goods
	IOELV: Indicative Occupational Exposure Limit Values
	LC50: Lethal Concentration, 50%
	LD50: Lethal Dose. 50%
	LOAEL: Lowest Observed Adverse Effect Level
	Log K _{ow} : Logarithm of the n-octanol/water partition coefficient
	NIOSH: National Institute for Occupational Safety and Health
	NOAEC: No Observed Adverse Effect Concentration
	NOAEL: No Observed Adverse Effect Level
	NTP: National Toxicology Program
	OECD: Organisation for Economic Co-operation and Development
	OEL: Occupational Exposure Limit
	PBT: Persistent, Bioaccumulative, and Toxic
	vPvB: very Persistent and very Bioaccumulative
	PEL: Permissible Exposure Limit
	RCRA: Resource Conservation and Recovery Act
	REL: Recommended Exposure Limit
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	RQ: Reportable Quantity
	SARA: Superfund Amendments and Reauthorization Act
	STEL: Short Term Exposure Limit
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TPQ: Threshold Planning Quantity
	TQ: Threshold Quantity
	TWA: Time Weighted Average
	UN: United Nations
	US: United States
	US-OSHA: United States Occupational Safety & Health Administration
Evaluation Method	ds Used for Classification of the Mixture: Calculation method and expert judgement.
	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult
Training Advice:	resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any
Training / tavioor	hazards associated with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of
Discialifici.	this product. The information set forth herein has been compiled from sources considered to be reliable and is
	believed to be accurate as of the date of publication. This information is offered in good faith by Kevin Murphy
	Business Services Pty Ltd and the accuracy, suitability or completeness is not guaranteed, and no warranties of any
	type, either expressed or implied, are provided. If this product is combined with other materials, all component
	properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the
	nature of the product.
Last Revision	
Date:	15Jul21
Revision	
Information:	Updated section 1.
illiorillation.	