


SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier:	KEVIN.MURPHY RETOUCH.ME	
	Product Code:	SW-2073, SW-2074, SW-2076, SW-2077	
1.2	Relevant Identified Uses:	Personal Care - Temporary Hair Color Spray (Aerosol)	
	Uses Advised	None known	
1.3	Supplier of Safety Data Sheet:	Europe/International	Australia
		Kevin Murphy Europe A/S Refshalevej 163A, DK-1432 Copenhagen K +45 20 20 34 56 KMRegulatory@kevinmurphy.com.au	Ozdare Pty Ltd 7 Endeavour Way Sunshine West VIC 3020, Australia +61 3 9314 9099
1.4	Emergency Telephone Number:	CHEMTEL: 1-800-255-3924 (North America), +1-813-248-0585 (International) 1-300-954-583 (Australia), 800-099-0731 (Mexico), 000-800-100-4086 (India), 400-120-0751 (China) Australia Poisons Information Centre: 13 11 26	
		Kevin.Murphy ChemTel Contract Number: Available upon request at KMRegulatory@kevinmurphy.com.au.	

This document is written for the packaged product (aerosol can containing propellant) with references to the dispensed or unpackaged product (liquid) to identify hazards as necessary.

SECTION 2: Hazards Identification

The mixture has been assessed for its physical, health and environmental hazards, and the following classification applies.

2.1	Classification of the Substance or Mixture:	Physical Hazards: Flammable Aerosol - Category 1 Health Hazards: Not Classified Environmental Hazards: Not Classified
2.2	Labeling Elements:	<p>Hazard Signal Word: Danger</p> <p>Hazard Statements: H222: Extremely Flammable Aerosol. H229: Pressurized container: May burst if heated.</p> <p>Precautionary Statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P102: Keep out of reach of children. P103: Read label before use.</p>
	Hazard Pictograms:	
2.3	Other Hazards:	No known other hazards which do not result in classification. Mixture does not meet the criteria for PBTs or vPvBs in accordance to Regulation (EC) No. 1907/2006, Annex XIII.

SECTION 3: Composition / Information on Ingredients

3.2 Mixtures:					
CHEMICAL NAME	CAS No.	EC No.	Hazard Classification	Hazard Statements	% by Weight
Isobutane	75-28-5	200-857-2	Flammable Gas, Category 1	H220: Extremely flammable gas	60 - 70
Propane	74-98-6	200-827-9	Flammable Gas, Category 1	H220: Extremely flammable gas	10 - 20
Ethanol	64-17-5	200-578-6	Flammable Liquid, Category 2 Eye Irritation, Category 2A	H225: Highly flammable liquid and vapour H319: Causes serious eye irritation	1 - 10
Trisiloxane	107-51-7	203-497-4	Flammable Liquid, Category 3	H226: Flammable liquid and vapour	1 - 10
Decamethylcyclopentasiloxane	541-02-6	208-764-9	Flammable Liquid, Category 4	H227: Combustible liquid	1 - 10
Iron Oxides (1)	1309-37-1	215-168-2	Not applicable	Not applicable	1 - 10
Titanium Dioxide (1)	13463-67-7	236-675-5	Not applicable	Not applicable	< 1

(1) Substance with a workplace exposure limit.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as physical, health or the environmental hazards, are PBTs or vPvBs, or have been assigned an occupational exposure limit within EU OEL Directives, and hence require reporting in this section.

SECTION 4: First Aid Measures		
4.1	Description of First Aid Measures:	<u>Ingestion</u> : Not a likely route of exposure due to the form of the product. <u>Eyes</u> : In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction or if symptoms persist.
		<u>Skin</u> : If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. <u>Inhalation</u> : If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.
4.2	Most Important Symptoms and Effects, Both Acute and Delayed:	No known symptoms when used as intended. Intentional misuse by deliberately concentrating and inhaling the contents may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness), and rapid suffocation by displacing oxygen.
4.3	Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. No known specific antidotes.
SECTION 5: Firefighting Measures		
5.1	Extinguishing Media:	<u>Suitable Extinguishing Media</u> : Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. <u>Unsuitable Extinguishing Media</u> : None known.
5.2	Special Hazards Arising from the Substance or Mixture:	Danger! Extremely Flammable Aerosol: Vapours may burn or form explosive mixture with air. Pressurized container: May burst if heated. May produce oxides of carbon and/or nitrogen on combustion.
5.3	Advice for Firefighters:	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.
SECTION 6: Accidental Release Measures		
6.1	Personal Precautions, Protective Equipment and Emergency Procedures:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.
6.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.
6.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Use non-sparking tools and equipment. Take action to prevent static discharges.
6.4	Reference to Other Sections:	For personnel protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and Storage		
7.1	Precautions for Safe Handling:	Pressurized container. Do not pierce or burn, even after use. Utilize safe handling and transportation techniques to avoid puncture of the container. Do not use if spray button is missing or defective. Do not spray on open flame or other ignition source. Ensure adequate ventilation in the workplace. Do not re-use containers. Wear appropriate personal protective equipment (see Section 8). Do not smoke while using or until sprayed surface is thoroughly dry. Do not eat or drink while handling. Observe good hygiene practices.
7.2	Conditions for Safe Storage, Including Any Incompatibilities:	Pressurized container: May burst if heated. Store in a cool, dry, and well-ventilated area away from direct sunlight. Do not expose to temperatures exceeding 50°C/122°F. Do not store near heat, hot surfaces, sparks, open flames and other ignition sources. Store away from incompatible materials (see Section 10).
7.3	Specific End Use(s):	No further relevant information available.

SECTION 8: Exposure Controls / Personal Protection

Control parameters have been published by the referenced authority to establish exposure limits in the work environment. Employee work areas should be monitored to ensure that permissible limits are not exceeded during the work day.

8.1	Control Parameters:	Component Name	CAS No.	Occupational Exposure Limits (OEL)			
				Reference	Type	ppm	mg/m ³
		Isobutane	75-28-5	Belgium, OEL Values	TWA	1000	NE
				Finland, OEL Decree	TWA	800	1900
				Germany, DFG MAK	TWA	1000	2400
				Germany, AGS TRGS	AGW	1000	2400
		Propane	74-98-6	Austria, OEL Regulation	MAK	1000	1800
					Belgium, OEL Values	VME	1000
				Denmark, Limit Values Executive Order	TLV	1000	1800
				Finland, OEL Decree	TWA	800	1500
				Germany, DFG MAK	TWA	1000	1800
				Germany, AGS TRGS	AGW	1000	1800
				Poland, OEL Ordinance	TWA	NE	1800
				Romania, OEL Law	TWA	778	1400
				Spain, OEL INSHT	TWA	1000	NE
				Ethanol	64-17-5	Austria, OEL Regulation	MAK
		Belgium, OEL Values	TWA				1000
		Bulgaria, OEL Regulation No 13	TWA			NE	1000
		Croatia, ELV Narodne Novine	MAC			1000	1900
		Czech Republic, OEL Decree 361	TWA			NE	1000
		Denmark, Limit Values Executive Order	TLV			1000	1900
		Estonia, OEL Regulation	TWA			500	1000
		Finland, OEL Decree	TWA			1000	1900
		France, VLEP INRS	VME			1000	1900
		Germany, DFG MAK	TWA			500	960
		Germany, AGS TRGS	AGW			500	960
		Greece, OEL Decree	TWA			1000	1900
		Hungary, OEL Decree	TWA			NE	1900
		Ireland, OEL Regulation	STEL			1000	NE
		Latvia, OEL Regulation	TWA			NE	1000
		Lithuania, IPRV	TWA			500	1000
		Netherlands, OEL SER	TWA			NE	260
		Poland, OEL Ordinance	TWA			NE	1900
		Portugal, OEL Standard NP 1796	TWA			1000	NE
		Romania, OEL Law	TWA			1000	1900
		Slovakia, OEL Regulation	TWA			500	960
		Slovenia, OEL Regulation	TWA			1000	1900
		Spain, OEL INSHT	STEL			1000	1910
Sweden, OELV AFS	TWA	500	1000				
United Kingdom, WEL	TWA	1000	1920				
Iron Oxides	1309-37-1	Austria, OEL Regulation	MAK			NE	5
			Belgium, OEL Values	TWA	2	5	
		Denmark, Limit Values Executive Order	TLV	NE	3.5		
		Finland, OEL Decree	TWA	NE	5		
		Hungary, OEL Decree	TWA	NE	6		
		Ireland, OEL Regulation	TWA	NE	5		
		Poland, OEL Ordinance	TWA	NE	5		
		Romania, OEL Law	TWA	NE	5		
		Spain, OEL INSHT	TWA	NE	5		
		Sweden, OELV AFS	TWA	NE	3.5		
Titanium Dioxide	13463-67-7	Belgium, OEL Values	TWA	NE	10		
			Denmark, Limit Values Executive Order	TLV	NE	6	
		France, VLEP INRS	VME	NE	11		

				Ireland, OEL Regulation	TWA	NE	10
				Latvia, OEL Regulation	TWA	NE	10
				Poland, OEL Ordinance	TWA	NE	10
				Romania, OEL Law	TWA	NE	10
				Spain, OEL INSHT	TWA	NE	10
				Sweden, OELV AFS	TWA	NE	5
				United Kingdom, WEL	TWA	NE	10
	Recommended Monitoring Procedures:	Workplace atmospheric monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference monitoring standards, such as European Standards EN 689 and EN 482. Reference national guidance documents for methods for the determination of hazardous substances.					
	Biological Limit Values:	No biological exposure limits noted for the ingredients.					
	Derived No Effect Level (DNEL):	Not available					
	Predicted No Effect Concentrations (PNEC):	Not available					
8.2	Exposure Controls:						
	Appropriate Engineering Controls:	Provide adequate ventilation in the workplace to maintain airborne levels below recommended exposure limits.					
	Eye/Face Protection:	Not required					
	Skin and Hand Protection:	Not required					
	Respiratory Protection:	If airborne exposure limits are exceeded, wear suitable respirator that meets current occupational health and safety standards.					
	Thermal Hazards:	Refer to Section 5 for fire personal protective equipment.					
	Hygiene Measures:	Do not eat, drink or smoke during product use or handling. Observe good personal hygiene measures. Routinely wash work clothing and protective equipment.					
	Environmental Exposure Controls:	Environmental manager must be informed of all major releases.					

SECTION 9: Physical and Chemical Properties

9.1	Information on Basic Physical and Chemical Properties:						
	Appearance:	Colored liquid (auburn, brown, black); aerosol spray					
	Odor:	Fragrance					
	Odor Threshold:	No data available on this product					
	pH:	No data available on this product					
	Melting Point:	Not applicable due to form of product					
	Freezing Point:	No data available on this product					
	Initial Boiling Point/Boiling Range:	Isobutane: -12°C (11°F); Propane: -42°C (-44°F); Ethanol: 78.2°C (173°F)					
	Flashpoint:	Isobutane: -83°C (-117°F) closed cup; Propane: -104°C (-156°F) closed cup; Ethanol: 13°C (55°F): closed cup					
	Evaporation Rate:	No data available on this product					
	Flammability (solid, gas):	No data available on this product					
	Upper/Lower Flammability or Explosive Limits:	UEL: 8.4% (isobutane), 9.5% (propane), 19.0% (ethanol) LEL: 1.8% (isobutane), 2.1% (propane), 3.3% (ethanol)					
	Vapor Pressure:	55 - 65 psig @ 21°C (70°F)					
	Vapor Density:	No data available on this product					
	Relative Density (water=1.0):	0.951 - 0.975					
	Solubility (in water):	No data available on this product					
	Partition Coefficient (n-octanol/water):	Ethanol: -0.31 Log K _{ow} , Trisiloxane: 6.6 Log K _{ow} Isobutane: 2.76 Log K _{ow} ; Propane: 2.36 Log K _{ow}					
	Autoignition Temperature:	No data available on this product					

	Decomposition Temperature:	No data available on this product
	Viscosity:	No data available on this product
	Explosive Properties:	No data available on this product
	Oxidizing Properties:	No data available on this product
9.2	Other Information:	No relevant additional information available on this product.
SECTION 10: Stability and Reactivity		
10.1	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.
10.2	Chemical Stability:	The product is stable under normal handling and storage conditions.
10.3	Possibility of Hazardous Reactions:	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.
10.4	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.
10.5	Incompatible Materials:	Strong acids, bases, and oxidizing agents.
10.6	Hazardous Decomposition Products:	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.
SECTION 11: Toxicological Information		
11.1	Information on Toxicological Effects: No data available on the mixture. Health effects of the mixture are derived from ingredient literature review, concentrations present, and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS]. If available, relevant toxicological properties of the components that contribute to classification of the mixture in Section 3 are provided. Evaluations for the mixture may be based on additional information not shown. The product uses ingredients presented herein from suppliers that have not tested the ingredients on animals for cosmetic purposes since the 11-March-2009 time table set forth by the EU Commission in accordance with EU Cosmetic Directive (EC) No. 1223/2009.	
	Potential Acute Health Effects and Symptoms:	Eye Exposure: No adverse effects expected from normal use.
		Skin Exposure: No adverse effects expected from normal use.
		Ingestion: Not a likely route of exposure due to the form of the product. May cause gastrointestinal discomfort/irritation if swallowed.
		Inhalation: No adverse effects expected from normal use. Intentional misuse by deliberately concentrating and inhaling the contents may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness), and rapid suffocation by displacing oxygen.
	Potential Chronic Health Effects:	None known
	Acute Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met.
		Isobutane: CAS 75-28-5 Oral Toxicity: Study technically not feasible Dermal Toxicity: Study technically not feasible Inhalation LC50: 658 mg/L, 4 hours (Rat)
		Propane: CAS 74-98-6 Oral Toxicity: Study technically not feasible Dermal Toxicity: Study technically not feasible Inhalation LC50: 658 mg/L, 4 hours (Rat)
		Ethanol: CAS 64-17-5 Oral LD50: 7060 mg/kg (Rat) Dermal LD50: 20,000 mg/kg (Rabbit) Inhalation LC50: > 60,000 ppm (114 mg/L), 1 hour (Mouse)
		Trisiloxane: CAS 107-51-7 Oral LD50: > 2,000 mg/kg (Rat) Dermal LD50: > 2,000 mg/kg (Rat) Inhalation LC50: > 22.6 mg/L, 4 hour (Rat)
		Iron Oxides: CAS 1309-37-1 Oral LD50: > 5,000 mg/kg (Rat) Inhalation LC50: > 5 mg/L, 4 hour (Rat)
	Skin Corrosion/Irritation:	Product Summary/Conclusion: Based on available data, classification criteria are not met.
		Isobutane: CAS 75-28-5 Study technically not feasible
		Propane: CAS 74-98-6 Study technically not feasible

	<p>Ethanol: CAS 64-17-5 Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repeat dose situations</p> <p>Trisiloxane: CAS 107-51-7 Acute Dermal Irritation/Corrosion, EPA 870.2500, Rabbit: Not irritating</p>
	<p>Iron Oxides: CAS 1309-37-1 Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating</p>
Serious Eye Damage/Irritation:	<p>Product Summary/Conclusion: Based on available data, classification criteria are not met.</p>
	<p>Isobutane: CAS 75-28-5 Study technically not feasible</p>
	<p>Propane: CAS 74-98-6 Study technically not feasible</p>
	<p>Ethanol: CAS 64-17-5 Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): eye irritant (Category 2A) Draize Eye Irritation, Rabbit (25-50% active): Non-irritating</p>
	<p>Trisiloxane: CAS 107-51-7 Acute Eye Irritation/Corrosion, EPA 870.2400, Rabbit: Not irritating</p>
	<p>Iron Oxides: CAS 1309-37-1 Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Not irritating</p>
Respiratory or Skin Sensitization:	<p>Product Summary/Conclusion: Based on available data, classification criteria are not met.</p>
	<p>Isobutane: CAS 75-28-5 Respiratory/Skin Sensitization: No indication of respiratory or skin sensitization from petroleum gases.</p>
	<p>Propane: CAS 74-98-6 Respiratory/Skin Sensitization: No indication of respiratory or skin sensitization from petroleum gases.</p>
	<p>Ethanol: CAS 64-17-5 Respiratory Sensitization: No reports of human respiratory sensitization Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.</p>
	<p>Trisiloxane: CAS 107-51-7 Skin Sensitization, Guinea Pig: Not sensitizing</p>
	<p>Iron Oxides: CAS 1309-37-1 Skin Sensitization, Guinea Pig: Not sensitizing</p>
Germ Cell Mutagenicity:	<p>Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP].</p>
	<p>Ethanol: CAS 64-17-5 <i>In-vitro:</i> Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation</p>
	<p>Trisiloxane: CAS 107-51-7 <i>In-vitro:</i> Negative for cytogenetic assay (OECD 473)</p>
	<p>Iron Oxides: CAS 1309-37-1 <i>In-vitro:</i> Negative for bacterial reverse mutation test in Salmonella typhimurium, with and without metabolic activation</p>
Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/2008 [CLP].
Reproductive Toxicity:	<p>Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a reproductive toxin in EU Regulation (EC) No. 1272/2008 [CLP].</p>
	<p>Ethanol: CAS 64-17-5 Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest concentration tested) Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm, NOAEL (teratogenicity) ≥ 20,000 ppm (highest concentration tested)</p>
	<p>Trisiloxane: CAS 107-51-7 Inhalation Combined Repeat Dose Toxicity and Reproduction/Developmental Toxicity, OECD 422, Rat: NOAEC (reproductive toxicity) > 3146 ppm Prenatal Developmental Toxicity, OECD 414, Rat, Oral: NOAEL (maternal toxicity) 250 mg/kg bw/day, NOEL (developmental toxicity) > 750 mg/kg bw/day (highest concentration tested)</p>
STOT-Single Exposure:	Based on available data, classification criteria are not met.





	STOT-Repeated Exposure:	Product Summary/Conclusion: Based on available data, classification criteria are not met.
		Ethanol: CAS 64-17-5 90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC \geq 6130 ppm
		Trisiloxane: CAS 107-51-7 Subchronic Inhalation Toxicity 90-Day, Rat: NOAEL 400 ppm
		Iron Oxides: CAS 1309-37-1 Subchronic Inhalation Toxicity 90-Day, OECD 413, Rat: NOAEL 4.7 mg/m ³
	Aspiration Hazard:	Not classified due to form of the product.
	Other Information:	No other relevant information available.

SECTION 12: Ecological Information

12.1	Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met. No data available on the mixture. Environmental toxicity of the mixture derived from ingredient information, concentrations present and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS]. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Trisiloxane: CAS 107-51-7 Aquatic Plants EC50: > 9.4 mg/L, 72 hours (Algae) Crustacea EC50: > 20 mg/L, 48 hours (Daphnia magna) Fish LC50: > 19 mg/L, 96 hours
12.2	Persistence and Degradability:	Isobutane: CAS 75-28-5 Readily biodegradable Propane: CAS 74-98-6 Readily biodegradable Ethanol: CAS 64-17-5 Readily biodegradable Trisiloxane: CAS 107-51-7 Not readily biodegradable
12.3	Bioaccumulative Potential:	
	Partition Coefficient: n-octanol/water	Isobutane (CAS 75-28-5): 2.76 (log K _{ow}) Propane (CAS 74-98-6): 2.36 (log K _{ow}) Ethanol (CAS 64-17-5): -0.31 (log K _{ow}) Trisiloxane (CAS 107-51-7): 6.6 (log K _{ow})
	Bioconcentration Factor (BCF):	Not available
12.4	Mobility in Soil:	Not available
12.5	Results of PBT and vPvB Assessment:	Not available
12.6	Other Adverse Effects:	No other known adverse environmental effects or critical hazards.

SECTION 13: Disposal Considerations

13.1	Waste Treatment Methods:	
	Waste Disposal:	Dispose of waste material and containers in accordance with appropriate local, regional, and national regulations. Do not dispose through sewage. Empty containers should be taken to an approved waste handling site for recycling or disposal.
	Special Precautions:	Empty container may retain product residue. Observe all precautions for ignitable waste and pressurized container.

SECTION 14: Transport Information				
Shipment in Consumer Packaging - Limited Quantity: Maximum gross weight per package ≤ 30 kg		ADR (Road) RID (Rail) ADN (Inland Waterways)	IMDG (Sea)	IATA (Air)
14.1	UN Number:	Not applicable	UN1950	ID8000
14.2	UN Proper Shipping Name:	Not applicable	Aerosols	Consumer Commodity
14.3	Transport Hazard Classes:	Not applicable	2.1	9
				 
14.4	Packing Group:	None	None	None
14.5	Environmental Hazards:	None	None	None
14.6	Special Precautions for User:	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and emergency procedures before handling.		
14.7	Transport in Bulk According to Annex II of Marpol and the IBC Code:	Not applicable		

SECTION 15: Regulatory Information	
15.1	<p>Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:</p> <p>EU Regulation (EC) No. 1907/2006 REACH Article 59(10) and Annexes XIV and XVII, as amended : Decamethylcyclopentasiloxane (541-02-6)</p> <p>EU Directive 2012/18/EU on major accident hazards involving dangerous substances: Isobutane (CAS 75-28-5), Propane (CAS 74-98-6), Ethanol (CAS 64-17-5), Trisiloxane (CAS 107-51-7)</p> <p>EU Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended: No components in this product are listed.</p> <p>EU Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I, as amended: No components in this product are listed.</p> <p>EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as amended: No components in this product are listed.</p> <p>EU Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: No components in this product are listed.</p> <p>National Regulations of EU Member States: Follow national regulations for work with chemical agents.</p> <p>German Water Hazard Class (WGK) for Mixture: WGK 1</p>
15.2	<p>Chemical Safety Assessment: No Chemical Safety Assessment has been carried out.</p>

SECTION 16: Other Information	
Legend to Abbreviations:	ADN: European Agreement Concerning International Carriage of Dangerous Goods by Inland Waterways
	ADR: European Agreement Concerning International Carriage of Dangerous Goods by Road
	AFS: Work Environment Provisions
	AGS: Committee on Hazardous Substances
	AGW: Occupational Limit Values
	CAS: Chemical Abstracts Service
	CLP: Classification, Labelling and Packaging of Substances and Mixtures (EC No. 1272/2008)
	DFG: Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (known as the MAK Commission)
	EC: European Commission
	EC50: Effective Concentration, 50%
	EL: Exposure Limits
	ELV: Exposure Limit Values
	EPA: Environmental Protection Agency
	EU: European Union
	GHS: Globally Harmonized System of Classification and Labelling Chemicals
	IATA: International Air Transport Association
IBC: Intermediate Bulk Container	

	IMDG: International Maritime Dangerous Goods
	INRS: The French National Research and Safety Institute for the Prevention of Occupational Accidents and Diseases
	INSHT: National Institute for Occupational Safety and Health
	IPRV: Long Term Exposure Limit Value
	LC50: Lethal Concentration, 50%
	LD50: Lethal Dose, 50%
	LOAEL: Lowest Observed Adverse Effect Level
	Log K _{ow} : Logarithm of the n-octanol/water partition coefficient
	MAC: Maximum Workplace Concentrations
	MAK: Maximum Workplace Concentrations
	NE: Not Established
	NOAEC: No Observed Adverse Effect Concentration
	NOAEL: No Observed Adverse Effect Level
	NOEL: No Observed Effect Level
	OECD: Organisation for Economic Co-operation and Development
	OEL: Occupational Exposure Limit
	OELV: Occupational Exposure Limit Value
	PBT: Persistent, Bioaccumulative, and Toxic
	vPvB: very Persistent and very Bioaccumulative
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	SER: Social and Economic Council of the Netherlands
	STEL: Short Term Exposure Limits
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TRGS: Technical Rules for Hazardous Substances
	TWA: Time Weighted Average
	UN: United Nations
	VLEP: Occupational Exposure Limit Values
	VME: Limit Value of Average Exposure
	WEL: Workplace Exposure Limits
	Evaluation Methods Used for Classification of the Mixture According to EU Regulation (EC) No. 1272/2008: Calculation method
Training Advice:	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by Kevin Murphy Business Services Pty Ltd and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.
Last Revision Date:	16Jul21
Revision Information:	Updated section 1.