



Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** Rituals - Wild Fig Car Perfume
- Other means of identification:**
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses: Air freshener
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:** Rituals Cosmetics UK
29 James Street
Covent Garden
WC2E 8PA London
Tel. +44 207 8362980
- 1.4 Emergency telephone number:)** Members of the public - For medical advice contact:
NHS 111 in England: 111, NHS 24 in Scotland: 111, NHS Direct in Wales: 111 or 0845 4647
Health Professionals: consult TOXBASE

SECTION 2: HAZARDS IDENTIFICATION **

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411
Eye Irrit. 2: Eye irritation, Category 2, H319
Skin Irrit. 2: Skin irritation, Category 2, H315
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Warning
-  
- Hazard statements:**
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.
- Precautionary statements:**
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment
- Supplementary information:**
Contains (+)-(1S, 2S, 3S, 5R)-2,6,6-trimethylbicyclo[3.1.1]heptane-3-spiro-1'-(cyclohex-2'-en-4'-one), (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one, (E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, alpha-ISOMETHYL IONONE, CYCLAMEN ALDEHYDE, CITRONELLOL, COUMARIN, Cyclododecane, (1-ethoxyethoxy)-, EUGENOL, GERANIOL, NEROL.
- Substances that contribute to the classification**
4-TERT-BUTYLCYCLOHEXYL ACETATE; LINALOOL; PENTADECALACTONE
- 2.3 Other hazards:**

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

Product fails to meet PBT/vPvB criteria
Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 32210-23-4 EC: 250-954-9 Index: Non-applicable REACH: 01-2119976286-24-XXXX	4-tert-butylcyclohexyl acetate⁽¹⁾ Regulation 1272/2008 Skin Sens. 1B: H317 - Warning	Self-classified 10 - <25 %
CAS: 58430-94-7 EC: 261-245-9 Index: Non-applicable REACH: 01-2119972325-34-XXXX	Isononyl acetate⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315 - Warning	Self-classified 10 - <25 %
CAS: 64742-47-8 EC: 265-149-8 Index: 649-422-00-2 REACH: 01-2119484819-18-XXXX	Distillates (petroleum), hydrotreated light⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Skin Irrit. 2: H315; STOT SE 3: H336; EUH066 - Danger	Self-classified 10 - <25 %
CAS: 63500-71-0 EC: 405-040-6 Index: 603-101-00-3 REACH: 01-2119455547-30-XXXX	Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	ATP CLP00 10 - <25 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 5 - <10 %
CAS: 319002-92-1 EC: 437-530-0 Index: Non-applicable REACH: 01-0000018277-65-XXXX	Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412	Self-classified 3 - <5 %
CAS: 106-02-5 EC: 203-354-6 Index: Non-applicable REACH: 01-2119987323-31-XXXX	Pentadecan-15-olide⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	Self-classified 1 - <3 %
CAS: 10094-34-5 EC: 233-221-8 Index: Non-applicable REACH: 01-2120742578-44-XXXX	a,a-dimethylphenethyl butyrate⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411	Self-classified 1 - <3 %
CAS: 127-51-5 EC: 204-846-3 Index: Non-applicable REACH: 01-2120138569-45-XXXX	3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 133636-82-5 EC: 430-460-1 Index: 606-121-00-0 REACH: 01-0000017672-68-XXXX	(+)-(1S, 2S, 3S, 5R)-2,6,6-trimethylbicyclo[3.1.1]heptane-3-spiro-1'-(cyclohex-2'-en-4'-one)⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1B: H317 - Danger	Self-classified 0,3 - <1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Chemical name/Classification	Concentration
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 106-24-1 EC: 203-377-1 Index: 603-241-00-5 REACH: 01-2119552430-49-XXXX	Geraniol⁽¹⁾ Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	Self-classified 0,3 - <1 %
CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23-XXXX	Citronellol⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable REACH: 01-2119949300-45-XXXX	Coumarin⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 106-25-2 EC: 203-378-7 Index: Non-applicable REACH: 01-2119983244-33-XXXX	Nerol⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 68039-49-6 EC: 268-264-1 Index: Non-applicable REACH: Non-applicable	2,4-dimethylcyclohex-3-ene-1-carbaldehyde⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,3 - <1 %
CAS: 103-95-7 EC: 203-161-7 Index: Non-applicable REACH: 01-2119970582-32-XXXX	3-p-cumenyl-2-methylpropionaldehyde⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,1 - <0,3 %
CAS: 97-53-0 EC: 202-589-1 Index: Non-applicable REACH: 01-2119971802-33-XXXX	Eugenol⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	Self-classified 0,1 - <0,3 %
CAS: 389083-83-4 EC: Non-applicable Index: Non-applicable REACH: Non-applicable	Cyclododecane, (1-ethoxyethoxy)-⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	Self-classified 0,1 - <0,3 %
CAS: 34902-57-3 EC: 422-320-3 Index: Non-applicable REACH: 01-0000016883-62-XXXX	(3E)-Oxacyclohexadec-3-en-2-one⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	Self-classified 0,1 - <0,3 %
CAS: 63429-28-7 EC: 264-140-6 Index: Non-applicable REACH: 01-2120088022-64-XXXX	(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0,1 - <0,3 %
CAS: 23726-93-4 EC: 245-844-2 Index: Non-applicable REACH: 01-2120105798-49-XXXX	(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Warning	Self-classified 0,01 - <0,1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m³ // Respirable dust 4 mg/m³

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Isononyl acetate CAS: 58430-94-7 EC: 261-245-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,64 mg/m ³	Non-applicable
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) CAS: 63500-71-0 EC: 405-040-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	41,7 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	44,1 mg/m ³	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	24,58 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate CAS: 319002-92-1 EC: 437-530-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	8,8 mg/m ³	Non-applicable
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,6 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	12,695 mg/m ³	Non-applicable
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,375 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	8,22 mg/m ³	Non-applicable
Geraniol CAS: 106-24-1 EC: 203-377-1	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	161,6 mg/m ³	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	327,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,78 mg/m ³	Non-applicable
Nerol CAS: 106-25-2 EC: 203-378-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,4 mg/m ³	Non-applicable
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,83 mg/m ³	Non-applicable
Eugenol CAS: 97-53-0 EC: 202-589-1	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	6 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	21,2 mg/m ³	Non-applicable
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one CAS: 23726-93-4 EC: 245-844-2	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,77 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,71 mg/m ³	Non-applicable

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Isononyl acetate CAS: 58430-94-7 EC: 261-245-9	Oral	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,4 mg/m ³	Non-applicable
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) CAS: 63500-71-0 EC: 405-040-6	Oral	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	13 mg/m ³	Non-applicable
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,33 mg/m ³	Non-applicable
Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate CAS: 319002-92-1 EC: 437-530-0	Oral	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,17 mg/m ³	Non-applicable
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	Oral	Non-applicable	Non-applicable	1,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,13 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Oral	Non-applicable	Non-applicable	0,0355 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,0446 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
Geraniol CAS: 106-24-1 EC: 203-377-1	Oral	Non-applicable	Non-applicable	13,75 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	47,8 mg/m ³	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	13,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	196,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,69 mg/m ³	Non-applicable
Nerol CAS: 106-25-2 EC: 203-378-7	Oral	Non-applicable	Non-applicable	0,62 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,62 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,09 mg/m ³	Non-applicable
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	Oral	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,45 mg/m ³	Non-applicable
Eugenol CAS: 97-53-0 EC: 202-589-1	Oral	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,22 mg/m ³	Non-applicable
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one CAS: 23726-93-4 EC: 245-844-2	Oral	Non-applicable	Non-applicable	0,38 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,38 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,67 mg/m ³	Non-applicable

PNEC:

Identification				
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	STP	12,2 mg/L	Fresh water	0,0053 mg/L
	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	0,06667 g/kg	Sediment (Marine water)	0,21 mg/kg
Isononyl acetate CAS: 58430-94-7 EC: 261-245-9	STP	10 mg/L	Fresh water	0,0077 mg/L
	Soil	0,573 mg/kg	Marine water	0,00077 mg/L
	Intermittent	0,077 mg/L	Sediment (Fresh water)	2,895 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,29 mg/kg
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) CAS: 63500-71-0 EC: 405-040-6	STP	10 mg/L	Fresh water	0,094 mg/L
	Soil	0,09 mg/kg	Marine water	0,009 mg/L
	Intermittent	0,94 mg/L	Sediment (Fresh water)	0,412 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,041 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate CAS: 319002-92-1 EC: 437-530-0	STP	10 mg/L	Fresh water	0,013 mg/L
	Soil	0,016 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,13 mg/L	Sediment (Fresh water)	0,117 mg/kg
	Oral	0,0278 g/kg	Sediment (Marine water)	0,012 mg/kg
Pentadecan-15-olide CAS: 106-02-5 EC: 203-354-6	STP	10 mg/L	Fresh water	0,0027 mg/L
	Soil	5,44 mg/kg	Marine water	0,00027 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	21 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	4,2 mg/kg

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	STP	31,25 mg/L	Fresh water	0,004766 mg/L
	Soil	0,103 mg/kg	Marine water	Non-applicable
	Intermittent	Non-applicable	Sediment (Fresh water)	0,189 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	STP	10 mg/L	Fresh water	0,00143 mg/L
	Soil	0,0878 mg/kg	Marine water	0,000143 mg/L
	Intermittent	0,0143 mg/L	Sediment (Fresh water)	0,443 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0443 mg/kg
Geraniol CAS: 106-24-1 EC: 203-377-1	STP	0,7 mg/L	Fresh water	0,011 mg/L
	Soil	0,017 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,011 mg/kg
Citronellol CAS: 106-22-9 EC: 203-375-0	STP	580 mg/L	Fresh water	0,002 mg/L
	Soil	0,004 mg/kg	Marine water	0 mg/L
	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg
Coumarin CAS: 91-64-5 EC: 202-086-7	STP	6,4 mg/L	Fresh water	0,019 mg/L
	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
Nerol CAS: 106-25-2 EC: 203-378-7	STP	12,9 mg/L	Fresh water	0,00745 mg/L
	Soil	0,0223 mg/kg	Marine water	0,000745 mg/L
	Intermittent	0,0745 mg/L	Sediment (Fresh water)	0,133 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0133 mg/kg
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	STP	1 mg/L	Fresh water	0,00109 mg/L
	Soil	0,025 mg/kg	Marine water	0,00011 mg/L
	Intermittent	0,01092 mg/L	Sediment (Fresh water)	0,126 mg/kg
	Oral	0,0333 g/kg	Sediment (Marine water)	0,013 mg/kg
Eugenol CAS: 97-53-0 EC: 202-589-1	STP	Non-applicable	Fresh water	0,00113 mg/L
	Soil	0,015 mg/kg	Marine water	0,000113 mg/L
	Intermittent	0,0113 mg/L	Sediment (Fresh water)	0,081 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg
(3E)-Oxacyclohexadec-3-en-2-one CAS: 34902-57-3 EC: 422-320-3	STP	10 mg/L	Fresh water	0,0027 mg/L
	Soil	5,44 mg/kg	Marine water	0,00027 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	21 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	4,2 mg/kg
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one CAS: 23726-93-4 EC: 245-844-2	STP	3,2 mg/L	Fresh water	0,00109 mg/L
	Soil	0,017 mg/kg	Marine water	0,00011 mg/L
	Intermittent	0,0109 mg/L	Sediment (Fresh water)	0,087 mg/kg
	Oral	0,00667 g/kg	Sediment (Marine water)	0,00867 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

D.- Eye and face protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Solid
Appearance:	Gel
Colour:	Not available
Odour:	Not available
Odour threshold:	Non-applicable *

Volatility:

Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 °C:	Non-applicable *
Vapour pressure at 50 °C:	Non-applicable *
Evaporation rate at 20 °C:	Non-applicable *

Product description:

Density at 20 °C:	928 kg/m ³
Relative density at 20 °C:	0,928
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

Flammability:

Flash Point:	Non-applicable
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	235 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Explosive (Solid):

Lower explosive limit: Non-applicable *

Upper explosive limit: Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Non-applicable *

Oxidising properties: Non-applicable *

Corrosive to metals: Non-applicable *

Heat of combustion: Non-applicable *

Aerosols-total percentage (by mass) of flammable components: Non-applicable *

Other safety characteristics:

Surface tension at 20 °C: Non-applicable *

Refraction index: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):**
- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):**
- Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**
- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Distillates (petroleum), hydrotreated light (3); Coumarin (3); Eugenol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:**
- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) - single exposure:**
- Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- G- Specific target organ toxicity (STOT)-repeated exposure:**
- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:**
- Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification		Acute toxicity	Genus
4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9	LD50 oral	3370 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Isononyl acetate CAS: 58430-94-7 EC: 261-245-9	LD50 oral	4250 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Distillates (petroleum), hydrotreated light CAS: 64742-47-8 EC: 265-149-8	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) CAS: 63500-71-0 EC: 405-040-6	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	Acute toxicity		Genus
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate CAS: 319002-92-1 EC: 437-530-0	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Pentadecan-15-olide CAS: 106-02-5 EC: 203-354-6	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>5 mg/L	
a,a-dimethylphenethyl butyrate CAS: 10094-34-5 EC: 233-221-8	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
(+)-(1S, 2S, 3S, 5R)-2,6,6-trimethylbicyclo[3.1.1]heptane-3-spiro-1'-(cyclohex-2'-en-4'-one) CAS: 133636-82-5 EC: 430-460-1	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	Non-applicable	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one CAS: 54464-57-2 EC: 259-174-3	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Geraniol CAS: 106-24-1 EC: 203-377-1	LD50 oral	4200 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	>20 mg/L	
Citronellol CAS: 106-22-9 EC: 203-375-0	LD50 oral	3450 mg/kg	Rat
	LD50 dermal	2650 mg/kg	
	LC50 inhalation	>20 mg/L	
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	
Nerol CAS: 106-25-2 EC: 203-378-7	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
2,4-dimethylcyclohex-3-ene-1-carbaldehyde CAS: 68039-49-6 EC: 268-264-1	LD50 oral	2500 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	LD50 oral	3810 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
Eugenol CAS: 97-53-0 EC: 202-589-1	LD50 oral	2300 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Cyclododecane, (1-ethoxyethoxy)- CAS: 389083-83-4 EC: Non-applicable	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
(3E)-Oxacyclohexadec-3-en-2-one CAS: 34902-57-3 EC: 422-320-3	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one CAS: 63429-28-7 EC: 264-140-6	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation	>20 mg/L	

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	Acute toxicity		Genus
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	LD50 oral	>2000 mg/kg	
CAS: 23726-93-4	LD50 dermal	>2000 mg/kg	
EC: 245-844-2	LC50 inhalation	>20 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification	Concentration	Species	Genus
Isononyl acetate	LC50 7,7 mg/L (96 h)	Pimephales promelas	Fish
CAS: 58430-94-7	EC50 Non-applicable		
EC: 261-245-9	EC50 Non-applicable		
Distillates (petroleum), hydrotreated light	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 64742-47-8	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: 265-149-8	EC50 >1 - 10 mg/L (72 h)		Algae
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	LC50 Non-applicable		
CAS: 63500-71-0	EC50 320 mg/L (48 h)	Daphnia magna	Crustacean
EC: 405-040-6	EC50 Non-applicable		
Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate	LC50 >10 - 100 mg/L (96 h)		Fish
CAS: 319002-92-1	EC50 >10 - 100 mg/L (48 h)		Crustacean
EC: 437-530-0	EC50 >10 - 100 mg/L (72 h)		Algae
Pentadecan-15-olide	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 106-02-5	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: 203-354-6	EC50 >1 - 10 mg/L (72 h)		Algae
a,a-dimethylphenethyl butyrate	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 10094-34-5	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: 233-221-8	EC50 >1 - 10 mg/L (72 h)		Algae
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 127-51-5	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: 204-846-3	EC50 >1 - 10 mg/L (72 h)		Algae
(+)-(1S, 2S, 3S, 5R)-2,6,6-trimethylbicyclo[3.1.1]heptane-3-spiro-1'-1-(cyclohex-2'-en-4'-one)	LC50 >0.1 - 1 mg/L (96 h)		Fish
CAS: 133636-82-5	EC50 >0.1 - 1 mg/L (48 h)		Crustacean
EC: 430-460-1	EC50 >0.1 - 1 mg/L (72 h)		Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one	LC50 >0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50 >0.1 - 1 mg/L (48 h)		Crustacean
EC: 259-174-3	EC50 >0.1 - 1 mg/L (72 h)		Algae
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 68039-49-6	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: 268-264-1	EC50 >1 - 10 mg/L (72 h)		Algae

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Concentration	Species	Genus
3-p-cumenyl-2-methylpropionaldehyde	LC50 1,092 mg/L (96 h)	N/A	Fish
CAS: 103-95-7	EC50 1,4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-161-7	EC50 3,8 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Eugenol	LC50 60,8 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 97-53-0	EC50 Non-applicable		
EC: 202-589-1	EC50 Non-applicable		
Cyclododecane, (1-ethoxyethoxy)-	LC50 >1 - 10 mg/L (96 h)		Fish
CAS: 389083-83-4	EC50 >1 - 10 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50 >1 - 10 mg/L (72 h)		Algae
(3E)-Oxacyclohexadec-3-en-2-one	LC50 >0.1 - 1 mg/L (96 h)		Fish
CAS: 34902-57-3	EC50 >0.1 - 1 mg/L (48 h)		Crustacean
EC: 422-320-3	EC50 >0.1 - 1 mg/L (72 h)		Algae
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one	LC50 Non-applicable		
CAS: 63429-28-7	EC50 1,3 mg/L (48 h)	Daphnia sp.	Crustacean
EC: 264-140-6	EC50 1,1 mg/L (72 h)	N/A	Algae
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	LC50 1,06 mg/L (96 h)	Danio rerio	Fish
CAS: 23726-93-4	EC50 9 mg/L (48 h)	Daphnia sp.	Crustacean
EC: 245-844-2	EC50 8 mg/L (72 h)	N/A	Algae

Chronic toxicity:

Identification	Concentration	Species	Genus
3-p-cumenyl-2-methylpropionaldehyde	NOEC Non-applicable		
CAS: 103-95-7 EC: 203-161-7	NOEC 0,71 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability	Biodegradability
Isononyl acetate CAS: 58430-94-7 EC: 261-245-9	BOD5 Non-applicable	Concentration 100 mg/L
	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 80 %
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) CAS: 63500-71-0 EC: 405-040-6	BOD5 Non-applicable	Concentration 10 mg/L
	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 10 %
	BOD5 Non-applicable	Concentration 100 mg/L
Linalool CAS: 78-70-6 EC: 201-134-4	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 90 %
	BOD5 Non-applicable	Concentration 4 mg/L
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 42,51 %
	BOD5 Non-applicable	Concentration 100 mg/L
Geraniol CAS: 106-24-1 EC: 203-377-1	COD Non-applicable	Period 21 days
	BOD5/COD Non-applicable	% Biodegradable 70 %
	BOD5 Non-applicable	Concentration 100 mg/L
Coumarin CAS: 91-64-5 EC: 202-086-7	COD Non-applicable	Period 14 days
	BOD5/COD Non-applicable	% Biodegradable 100 %
	BOD5 Non-applicable	Concentration 100 mg/L
Nerol CAS: 106-25-2 EC: 203-378-7	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 90 %
	BOD5 Non-applicable	Concentration 2 mg/L
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 65,5 %
	BOD5 Non-applicable	Concentration Non-applicable

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		Degradability		Biodegradability	
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one	BOD5	Non-applicable	Concentration	2 mg/L	
CAS: 63429-28-7	COD	Non-applicable	Period	28 days	
EC: 264-140-6	BOD5/COD	Non-applicable	% Biodegradable	77 %	
(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	BOD5	Non-applicable	Concentration	30 mg/L	
CAS: 23726-93-4	COD	Non-applicable	Period	28 days	
EC: 245-844-2	BOD5/COD	Non-applicable	% Biodegradable	65 %	

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential	
Isononyl acetate	BCF	504	
CAS: 58430-94-7	Pow Log	4.6	
EC: 261-245-9	Potential	High	
Distillates (petroleum), hydrotreated light	BCF	130	
CAS: 64742-47-8	Pow Log	3.3	
EC: 265-149-8	Potential	High	
Linalool	BCF		
CAS: 78-70-6	Pow Log	2.97	
EC: 201-134-4	Potential		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	BCF		
CAS: 127-51-5	Pow Log	3.49	
EC: 204-846-3	Potential		
Geraniol	BCF	110	
CAS: 106-24-1	Pow Log	3.56	
EC: 203-377-1	Potential	High	
Coumarin	BCF	10	
CAS: 91-64-5	Pow Log	1.39	
EC: 202-086-7	Potential	Low	
Nerol	BCF	44	
CAS: 106-25-2	Pow Log	2.76	
EC: 203-378-7	Potential	Moderate	
3-p-cumenyl-2-methylpropionaldehyde	BCF	102	
CAS: 103-95-7	Pow Log	3.05	
EC: 203-161-7	Potential	High	
Eugenol	BCF	31	
CAS: 97-53-0	Pow Log	2.27	
EC: 202-589-1	Potential	Moderate	

12.4 Mobility in soil:

Identification		Absorption/desorption		Volatility	
Isononyl acetate	Koc	3724	Henry	Non-applicable	
CAS: 58430-94-7	Conclusion	Immobile	Dry soil	Non-applicable	
EC: 261-245-9	Surface tension	Non-applicable	Moist soil	Non-applicable	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Koc	42	Henry	1,71E-3 Pa·m ³ /mol	
CAS: 63500-71-0	Conclusion	Very High	Dry soil	No	
EC: 405-040-6	Surface tension	Non-applicable	Moist soil	No	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Koc	3061.96	Henry	Non-applicable	
CAS: 127-51-5	Conclusion	Low	Dry soil	Non-applicable	
EC: 204-846-3	Surface tension	Non-applicable	Moist soil	Non-applicable	

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Absorption/desorption			Volatility
Coumarin	Koc	42	Henry	Non-applicable
CAS: 91-64-5	Conclusion	Very High	Dry soil	Non-applicable
EC: 202-086-7	Surface tension	Non-applicable	Moist soil	Non-applicable
Nerol	Koc	94	Henry	Non-applicable
CAS: 106-25-2	Conclusion	High	Dry soil	Non-applicable
EC: 203-378-7	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Not applicable.

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Geraniol (Product-type 18, 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 15: REGULATORY INFORMATION (continued)

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one (63429-28-7)

Substances that contribute to the classification (SECTION 2):

- Removed substances
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Substances contained in EUH208:
 - New declared substances
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)
 - (E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one (63429-28-7)

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H411: Toxic to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Skin Sens. 1B: Calculation method

Skin Irrit. 2: Calculation method

Aquatic Chronic 2: Calculation method

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Rituals - Wild Fig Car Perfume

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -