

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

Other means of identification:

UFI: VAUN-C6NK-830U-YH6F

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener for vehicles

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Rituals Cosmetics Enterprise

P.O. Box 15500 | 1001 NA Amsterdam

| 1017 BW Amsterdam Herengracht 541 - The Netherlands

1.4 Emergency telephone number: +31 (0)20 333 91 00

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning





Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains $[1a(E),2\beta]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)$ but-2-en-1-one, 1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one, 3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde.

Substances that contribute to the classification

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one; Heptanal, 2-(phenylmethylene)-, (2E)-; Linalyl acetate; Coumarin

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) **Page 1/16**

^{**} Changes with regards to the previous version

R I T U A L S ...

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

3.2 Mixture:

Chemical description: Perfume/s

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration	
CAS: EC: Index: REACH:	54464-57-2 259-174-3 Non-applicable 01-2119489989-04	1-(1,2,3,4,5,6,7,8-oc Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified (!)	5 - <15 %	
CAS:	140-11-4	Benzyl acetate(1)		Self-classified		
EC: Index:	205-399-7 Non-applicable 01-2119638272-42- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412	Scii classifica	5 - <15 %	
CAS:	78605-96-6	Heptanal, 2-(phenyli	methylene)-, (2E)- ⁽¹⁾	Self-classified		
	800-696-3 Non-applicable 01-2119978288-18- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	<u>(1)</u>	5 - <15 %	
CAS:	2050-08-0	Pentyl salicylate(1)		Self-classified		
	218-080-2 Non-applicable 01-2120771342-58- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	<u>(1)</u>	5 - <15 %	
CAS: EC:	20298-69-5 243-718-1	cis-2-tert-butylcyclo	hexyl acetate ⁽¹⁾	Self-classified		
Index:		Regulation 1272/2008	Aquatic Chronic 2: H411	<u> </u>	1 - <5 %	
CAS:	115-95-7	Linalyl acetate (1)		Self-classified		
	204-116-4 Non-applicable 01-2119454789-19- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<u>(1)</u>	1 - <5 %	
CAS: EC:	18479-58-8 242-362-4	2,6-dimethyloct-7-er	n-2-ol ⁽¹⁾	Self-classified		
Index: Non-applicable REACH: 01-2119457274-37- XXXX		Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	<u>(1)</u>	1 - <5 %	
CAS: EC:	150-84-5 205-775-0	Citronellyl acetate(1)		Self-classified		
Index:	Non-applicable 01-2119959860-27- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315 - Warning	<u>(†)</u>	1 - <5 %	
CAS:	121-32-4 204-464-7	3-ethoxy-4-hydroxyl	benzaldehyde ⁽¹⁾	Self-classified		
	204-464-7 Non-applicable 01-2119958961-24- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	<u>(1)</u>	1 - <5 %	
CAS:	28219-61-6	2-ethyl-4-(2,2,3-trin	nethyl-3-cyclopenten-1-yl)-2-buten-1-ol ⁽¹⁾	Self-classified		
EC: Index: REACH:	Non-applicable Non-applicable 01-2119529224-45	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Irrit. 2: H319 - Warning	<u>(!)</u>	1 - <5 %	
CAS: EC:	91-64-5 202-086-7	Coumarin ⁽¹⁾		Self-classified		
Index:	Non-applicable 01-2119949300-45- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning	! >	1 - <5 %	
CAS: EC:	67634-00-8 266-803-5	Allyl (3-methylbutox	y)acetate ⁽¹⁾	Self-classified		
Index:		Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 4: H302+H312; Aquatic Acute 1: H400 - Danger	langer 😞 🛵		
CAS:	67634-15-5	3-(p-ethylphenyl)-2,	2-dimethylpropionaldehyde ⁽¹⁾	Self-classified		
EC: Index: REACH:	266-819-2 Non-applicable Non-applicable	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1 H317 - Warning	B: (!) (%)	<1 %	
CAS: EC:	71048-82-3 275-156-8	[1α(E),2β]-1-(2,6,6-	trimethylcyclohex-3-en-1-yl)but-2-en-1-one(1)	Self-classified		
Index:	Non-applicable 01-2119535122-53- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2 H315; Skin Sens. 1: H317 - Warning	<u>(1)</u>	<1 %	

 $^{^{(1)}}$ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 2/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification			
CAS:		1-(5,5-dimethyl-1-cy	clohexen-1-yl)pent-4-en-1-one(1)	Self-classified	
EC: Index: REACH:	260-486-7 Non-applicable 01-2120735847-42- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	(1) (1)	<1 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: $5 \, ^{\circ}\text{C}$ Maximum Temp.: $40 \, ^{\circ}\text{C}$

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 4/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short 6	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Benzyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 140-11-4	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 205-399-7	Inhalation	Non-applicable	Non-applicable	9 mg/m³	Non-applicable
Heptanal, 2-(phenylmethylene)-, (2E)-	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78605-96-6	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 800-696-3	Inhalation	Non-applicable	Non-applicable	3,71 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m ³	Non-applicable
2,6-dimethyloct-7-en-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 18479-58-8	Dermal	Non-applicable	Non-applicable	20,8 mg/kg	Non-applicable
EC: 242-362-4	Inhalation	Non-applicable	Non-applicable	73,5 mg/m ³	Non-applicable
Citronellyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 150-84-5	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
EC: 205-775-0	Inhalation	Non-applicable	Non-applicable	17 mg/m ³	Non-applicable
3-ethoxy-4-hydroxybenzaldehyde	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 121-32-4	Dermal	Non-applicable	Non-applicable	7 mg/kg	Non-applicable
EC: 204-464-7	Inhalation	98 mg/m³	Non-applicable	49 mg/m ³	Non-applicable
Allyl (3-methylbutoxy)acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67634-00-8	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
EC: 266-803-5	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
[$1a(E)$,2 β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 71048-82-3	Dermal	Non-applicable	Non-applicable	0,4 mg/kg	Non-applicable
EC: 275-156-8	Inhalation	Non-applicable	Non-applicable	1,5 mg/m ³	Non-applicable
1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 56973-85-4	Dermal	Non-applicable	Non-applicable	0,714 mg/kg	Non-applicable
EC: 260-486-7	Inhalation	Non-applicable	Non-applicable	2,52 mg/m ³	Non-applicable

DNEL (General population):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Benzyl acetate	Oral	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
CAS: 140-11-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 205-399-7	Inhalation	Non-applicable	Non-applicable	2,2 mg/m ³	Non-applicable
Heptanal, 2-(phenylmethylene)-, (2E)-	Oral	Non-applicable	Non-applicable	0,167 mg/kg	Non-applicable
CAS: 78605-96-6	Dermal	Non-applicable	Non-applicable	0,625 mg/kg	Non-applicable
EC: 800-696-3	Inhalation	Non-applicable	Non-applicable	0,922 mg/m ³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m ³	Non-applicable
2,6-dimethyloct-7-en-2-ol	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: 18479-58-8	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
EC: 242-362-4	Inhalation	Non-applicable	Non-applicable	21,7 mg/m ³	Non-applicable
Citronellyl acetate	Oral	Non-applicable	Non-applicable	2,4 mg/kg	Non-applicable
CAS: 150-84-5	Dermal	Non-applicable	Non-applicable	2,4 mg/kg	Non-applicable
EC: 205-775-0	Inhalation	Non-applicable	Non-applicable	4,2 mg/m ³	Non-applicable
3-ethoxy-4-hydroxybenzaldehyde	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
CAS: 121-32-4	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-464-7	Inhalation	17,5 mg/m ³	Non-applicable	8,75 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 5/16

R I T U A L S ...

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Allyl (3-methylbutoxy)acetate	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: 67634-00-8	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
EC: 266-803-5	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-applicable
$[1a(E),2\beta]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)$ but-2-en-1-one	Oral	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
CAS: 71048-82-3	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
EC: 275-156-8	Inhalation	Non-applicable	Non-applicable	0,43 mg/m ³	Non-applicable
1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one	Oral	Non-applicable	Non-applicable	0,255 mg/kg	Non-applicable
CAS: 56973-85-4	Dermal	Non-applicable	Non-applicable	0,255 mg/kg	Non-applicable
EC: 260-486-7	Inhalation	Non-applicable	Non-applicable	0,377 mg/m ³	Non-applicable

PNEC:

Identification				
Benzyl acetate	STP	8,55 mg/L	Fresh water	0,018 mg/L
CAS: 140-11-4	Soil	0,094 mg/kg	Marine water	0,002 mg/L
EC: 205-399-7	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,526 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,053 mg/kg
Heptanal, 2-(phenylmethylene)-, (2E)-	STP	100 mg/L	Fresh water	0,002 mg/L
CAS: 78605-96-6	Soil	0,317 mg/kg	Marine water	0 mg/L
EC: 800-696-3	Intermittent	0,019 mg/L	Sediment (Fresh water)	1,6 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,16 mg/kg
cis-2-tert-butylcyclohexyl acetate	STP	10 mg/L	Fresh water	0,057 mg/L
CAS: 20298-69-5	Soil	4,4 mg/kg	Marine water	0,006 mg/L
EC: 243-718-1	Intermittent	Non-applicable	Sediment (Fresh water)	7,62 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,762 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
2,6-dimethyloct-7-en-2-ol	STP	10 mg/L	Fresh water	0,0278 mg/L
CAS: 18479-58-8	Soil	0,103 mg/kg	Marine water	0,00278 mg/L
EC: 242-362-4	Intermittent	0,278 mg/L	Sediment (Fresh water)	0,594 mg/kg
	Oral	0,111 g/kg	Sediment (Marine water)	0,059 mg/kg
Citronellyl acetate	STP	10 mg/L	Fresh water	0,003 mg/L
CAS: 150-84-5	Soil	0,168 mg/kg	Marine water	0 mg/L
EC: 205-775-0	Intermittent	0,035 mg/L	Sediment (Fresh water)	0,851 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,085 mg/kg
3-ethoxy-4-hydroxybenzaldehyde	STP	10 mg/L	Fresh water	0,118 mg/L
CAS: 121-32-4	Soil	2,923 mg/kg	Marine water	0,012 mg/L
EC: 204-464-7	Intermittent	Non-applicable	Sediment (Fresh water)	15 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,5 mg/kg
Allyl (3-methylbutoxy)acetate	STP	Non-applicable	Fresh water	0,00077 mg/L
CAS: 67634-00-8	Soil	0,00133 mg/kg	Marine water	0,000077 mg/L
EC: 266-803-5	Intermittent	0,0077 mg/L	Sediment (Fresh water)	0,00893 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,000893 mg/kg
[1a(E),2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1- one	STP	2,41 mg/L	Fresh water	0,007 mg/L
CAS: 71048-82-3	Soil	0,177 mg/kg	Marine water	0,0007 mg/L
EC: 275-156-8	Intermittent	0,0035 mg/L	Sediment (Fresh water)	0,906 mg/kg
	Oral	0,000074 g/kg	Sediment (Marine water)	0,0906 mg/kg
1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one	STP	4,6 mg/L	Fresh water	0,0017 mg/L
CAS: 56973-85-4	Soil	0,047 mg/kg	Marine water	0,00017 mg/L
EC: 260-486-7	Intermittent	0,017 mg/L	Sediment (Fresh water)	0,242 mg/kg
	Oral	0,00567 g/kg	Sediment (Marine water)	0,024 mg/kg

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 6/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATI	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	*	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 11,63 % weight

V.O.C. density at 20 °C: 117,36 kg/m³ (117,36 g/L)

Average carbon number: 9,38

Average molecular weight: 154,36 g/mol

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) **Page 7/16**

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

Appearance: Characteristic
Colour: Characteristic
Odour: Characteristic
Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Non-applicable *

Evaporation rate at 20 °C:

Non-applicable *

Product description:

Density at 20 °C: 1009,2 kg/m³

Relative density at 20 °C: 1,009

Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: Non-applicable
Flammability (solid, gas): Non-applicable *

Autoignition temperature: 231 °C

Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable *

Explosive (Solid):

Lower explosive limit:

Upper explosive limit:

Non-applicable *

Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable *

Corrosive to metals:

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) **Page 8/16**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Aerosols-total percentage (by mass) of flammable

Non-applicable *

components:

Other safety characteristics:

Surface tension at 20 °C: Non-applicable *
Refraction index: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- CONTINUED ON NEXT PAGE
Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 9/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Benzyl acetate (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Α	Acute toxicity	
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 oral	>2000 mg/kg	
CAS: 54464-57-2	LD50 dermal	>2000 mg/kg	
EC: 259-174-3	LC50 inhalation	>20 mg/L	
Benzyl acetate	LD50 oral	2490 mg/kg	Rat
CAS: 140-11-4	LD50 dermal	>2000 mg/kg	
EC: 205-399-7	LC50 inhalation	>20 mg/L	
Heptanal, 2-(phenylmethylene)-, (2E)-	LD50 oral	>2000 mg/kg	
CAS: 78605-96-6	LD50 dermal	>2000 mg/kg	
EC: 800-696-3	LC50 inhalation	>20 mg/L	
Pentyl salicylate	LD50 oral	500 mg/kg (ATEi)	
CAS: 2050-08-0	LD50 dermal	>2000 mg/kg	
EC: 218-080-2	LC50 inhalation	Non-applicable	
cis-2-tert-butylcyclohexyl acetate	LD50 oral	4600 mg/kg	Rat
CAS: 20298-69-5	LD50 dermal	>2000 mg/kg	
EC: 243-718-1	LC50 inhalation	>20 mg/L	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	>20 mg/L	
2,6-dimethyloct-7-en-2-ol	LD50 oral	3600 mg/kg	
CAS: 18479-58-8	LD50 dermal	>2000 mg/kg	
EC: 242-362-4	LC50 inhalation	>20 mg/L	
Citronellyl acetate	LD50 oral	>2000 mg/kg	
CAS: 150-84-5	LD50 dermal	>2000 mg/kg	
EC: 205-775-0	LC50 inhalation	>20 mg/L	
3-ethoxy-4-hydroxybenzaldehyde	LD50 oral	3000 mg/kg	Rat
CAS: 121-32-4	LD50 dermal	>2000 mg/kg	
EC: 204-464-7	LC50 inhalation	>5 mg/L	

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 10/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	cute toxicity	Genus
Coumarin	LD50 oral	500 mg/kg (ATEi)	
CAS: 91-64-5	LD50 dermal	>2000 mg/kg	
EC: 202-086-7	LC50 inhalation	Non-applicable	
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	LD50 oral	>2000 mg/kg	
CAS: 28219-61-6	LD50 dermal	>2000 mg/kg	
EC: Non-applicable	LC50 inhalation	Non-applicable	
Allyl (3-methylbutoxy)acetate	LD50 oral	500 mg/kg	Rat
CAS: 67634-00-8	LD50 dermal	>2000 mg/kg	
EC: 266-803-5	LC50 inhalation	0,51 mg/L (4 h)	Rat
3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde	LD50 oral	>2000 mg/kg	
CAS: 67634-15-5	LD50 dermal	>2000 mg/kg	
EC: 266-819-2	LC50 inhalation	>20 mg/L	
[1a(E),2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	LD50 oral	1400 mg/kg	Rat
CAS: 71048-82-3	LD50 dermal	>2000 mg/kg	
EC: 275-156-8	LC50 inhalation	>20 mg/L	
1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one	LD50 oral	>2000 mg/kg	
CAS: 56973-85-4	LD50 dermal	>2000 mg/kg	
EC: 260-486-7	LC50 inhalation	>20 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 259-174-3	EC50	>1 - 10 mg/L (72 h)		Algae
Benzyl acetate	LC50	Non-applicable		
CAS: 140-11-4	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-399-7	EC50	110 mg/L (72 h)	Desmodesmus subspicatus	Algae
Heptanal, 2-(phenylmethylene)-, (2E)-	LC50	3 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 78605-96-6	EC50	1,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 800-696-3	EC50	1,9 mg/L (72 h)	Selenastrum capricornutum	Algae
Pentyl salicylate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 2050-08-0	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 218-080-2	EC50	>0.1 - 1 mg/L (72 h)		Algae
cis-2-tert-butylcyclohexyl acetate	LC50	5,6 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 20298-69-5	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean
EC: 243-718-1	EC50	4,2 mg/L (72 h)	Desmodesmus subspicatus	Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) **Page 11/16**

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (E



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
Citronellyl acetate	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 150-84-5	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 205-775-0	EC50	>1 - 10 mg/L (72 h)		Algae
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 28219-61-6	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>1 - 10 mg/L (72 h)		Algae
Allyl (3-methylbutoxy)acetate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 67634-00-8	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 266-803-5	EC50	>0.1 - 1 mg/L (72 h)		Algae
3-(p-ethylphenyl)-2,2-dimethylpropionaldehyde	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 67634-15-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 266-819-2	EC50	>0.1 - 1 mg/L (72 h)		Algae
[1α(E),2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	LC50	0,97 mg/L (96 h)	Oryzias latipes	Fish
CAS: 71048-82-3	EC50	Non-applicable		
EC: 275-156-8	EC50	2,5 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1-(5,5-dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 56973-85-4	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 260-486-7	EC50	>1 - 10 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Benzyl acetate	NOEC	0,92 mg/L	Oryzias latipes	Fish
CAS: 140-11-4 EC: 205-399-7	NOEC	Non-applicable		
Heptanal, 2-(phenylmethylene)-, (2E)-	NOEC	0,33 mg/L	Danio rerio	Fish
CAS: 78605-96-6 EC: 800-696-3	NOEC	0,011 mg/L	Daphnia magna	Crustacean
cis-2-tert-butylcyclohexyl acetate	NOEC	0,8 mg/L	Pimephales promelas	Fish
CAS: 20298-69-5 EC: 243-718-1	NOEC	Non-applicable		
2,6-dimethyloct-7-en-2-ol	NOEC	Non-applicable		
CAS: 18479-58-8 EC: 242-362-4	NOEC	9,5 mg/L	Daphnia magna	Crustacean
[1a(E),2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	NOEC	Non-applicable		
CAS: 71048-82-3 EC: 275-156-8	NOEC	0,35 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradab	ility
Benzyl acetate	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 140-11-4	COD	Non-applicable	Period	28 days
EC: 205-399-7	BOD5/COD	Non-applicable	% Biodegradable	100 %
Heptanal, 2-(phenylmethylene)-, (2E)-	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78605-96-6	COD	Non-applicable	Period	28 days
EC: 800-696-3	BOD5/COD	Non-applicable	% Biodegradable	90 %
cis-2-tert-butylcyclohexyl acetate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 20298-69-5	COD	Non-applicable	Period	28 days
EC: 243-718-1	BOD5/COD	Non-applicable	% Biodegradable	43 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %
2,6-dimethyloct-7-en-2-ol	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 18479-58-8	COD	Non-applicable	Period	28 days
EC: 242-362-4	BOD5/COD	Non-applicable	% Biodegradable	72 %
Allyl (3-methylbutoxy)acetate	BOD5	Non-applicable	Concentration	240 mg/L
CAS: 67634-00-8	COD	Non-applicable	Period	13 days
EC: 266-803-5	BOD5/COD	Non-applicable	% Biodegradable	78 %

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 12/16

R I T U A L S ...

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradability	
[$1a(E)$, 2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 71048-82-3	COD	Non-applicable	Period	28 days
EC: 275-156-8	BOD5/COD	Non-applicable	% Biodegradable	16 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		accumulation potential
Benzyl acetate	BCF	8
CAS: 140-11-4	Pow Log	1.96
EC: 205-399-7	Potential	Low
Heptanal, 2-(phenylmethylene)-, (2E)-	BCF	586
CAS: 78605-96-6	Pow Log	4.7
EC: 800-696-3	Potential	High
cis-2-tert-butylcyclohexyl acetate	BCF	200
CAS: 20298-69-5	Pow Log	4.7
EC: 243-718-1	Potential	High
Linalyl acetate	BCF	174
CAS: 115-95-7	Pow Log	3.9
EC: 204-116-4	Potential	High
Citronellyl acetate	BCF	260
CAS: 150-84-5	Pow Log	4.04
EC: 205-775-0	Potential	High
Allyl (3-methylbutoxy)acetate	BCF	
CAS: 67634-00-8	Pow Log	1.85
EC: 266-803-5	Potential	
[1a(E),2β]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	BCF	81
CAS: 71048-82-3	Pow Log	4.2
EC: 275-156-8	Potential	Moderate

12.4 Mobility in soil:

Identification	Absorption/desorption		Vola	tility
Benzyl acetate	Koc	Non-applicable	Henry	Non-applicable
CAS: 140-11-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 205-399-7	Surface tension	3,558E-2 N/m (25 °C)	Moist soil	Non-applicable
Heptanal, 2-(phenylmethylene)-, (2E)-	Koc	8000	Henry	Non-applicable
CAS: 78605-96-6	Conclusion	Immobile	Dry soil	Non-applicable
EC: 800-696-3	Surface tension	Non-applicable	Moist soil	Non-applicable
cis-2-tert-butylcyclohexyl acetate	Koc	1300	Henry	Non-applicable
CAS: 20298-69-5	Conclusion	Low	Dry soil	Non-applicable
EC: 243-718-1	Surface tension	Non-applicable	Moist soil	Non-applicable
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
3-ethoxy-4-hydroxybenzaldehyde	Koc	Non-applicable	Henry	Non-applicable
CAS: 121-32-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-464-7	Surface tension	1,87E-2 N/m (276,18 °C)	Moist soil	Non-applicable
Allyl (3-methylbutoxy)acetate	Koc	80	Henry	Non-applicable
CAS: 67634-00-8	Conclusion	Very High	Dry soil	Non-applicable
EC: 266-803-5	Surface tension	Non-applicable	Moist soil	Non-applicable
$[1a(E),2\beta]$ -1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	Кос	1260	Henry	Non-applicable
CAS: 71048-82-3	Conclusion	Low	Dry soil	Non-applicable
EC: 275-156-8	Surface tension	Non-applicable	Moist soil	Non-applicable

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 13/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION **

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS	200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

^{**} Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G 80%

SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Precautionary statements

TRANSPORT INFORMATION (SECTION 14):

- · UN number
- · Packing group

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H411: Toxic to aquatic life with long lasting effects.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Skin Irrit. 2: Calculation method

Aquatic Chronic 2: Calculation method

Skin Sens. 1B: Calculation method

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE
Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 15/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

The Ritual of Suede Vanilla Car Perfume_Sandal Vanilla Car 171688 G_80%

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 18/04/2023 Revised: 07/06/2023 Version: 2 (Replaced 1) Page 16/16