SAFETY DATA SHEET

BEDROOM.HAIR Revision Date: 25Jan23 SDS-000017-07

.1	Product Identifier:							
	Brand Name	ne: KEVIN.MURPHY						
	Product Name	: BEDROOM.HAIR						
	Product Codes							
.2	Relevant Identified Uses:		onal Care - Aerosol Hair Styling Product					
	Uses Advised	None known						
1.3	Supplier of Safety	Europe/Internationa	a <u>l</u>	<u>Australia</u>				
	Data Sheet:	Kevin Murphy Europ	e A/S	Ozdare Pty Ltd				
		Refshalevej 163A, D	K-1432 Copenhagen K	7 Endeavour Way				
		+45 20 20 34 56		Sunshine West VIC 3020, Australia				
		KMRegulatory@kevi	nmurphy.com.au	+61 3 9314 9099				
4	Emergency	CHEMTEL: 1-800-2	55-3924 (North America), +1-81	3-248-0585 (International)				
	Telephone Number:	1-300-954-583 (Aus	tralia), 800-099-0731 (Mexico),	000-800-100-4086 (India), 400-120-0	751 (China)			
		Australia Poisons I	nformation Centre: 13 11 26					
		Kevin, Murphy Chem	Tel Contract Number: Available u	ipon request at KMRegulatory@kevinn	nurphy.com.au.			
his	document is written for t) with references to the dispensed or u				
	act (liquid) to identify has		31 -1	,	1			
	(1)							
F(TION 2: Hazards lo	lentification						
			olth and any iron mantal hazarda a	and the following elegation applies				
				and the following classification applies.				
1	Classification of the		Flammable Aerosol - Category 1					
	Substance or Mixture							
		Environmental Haz	ards: Not Classified					
2.2		peling Elements: Hazard Signal Word: Danger						
2	Labeling Elements:				Hazard			
2	Labeling Elements:	Hazard Statements	:					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla	: mmable Aerosol					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized c	: mmable Aerosol ontainer: May burst if heated					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized c Precautionary State	: mmable Aerosol ontainer: May burst if heated ements:					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized o Precautionary State P210: Keep away fro	: mmable Aerosol ontainer: May burst if heated ements:	en flames and other ignition sources.				
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized o Precautionary State P210: Keep away fro No smoking.	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, op					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, op on an open flame or other ignition					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, op					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized c Precautionary State P210: Keep away fro No smoking. P211: Do not spray o P251: Do not pierce P410+P412: Protect	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, op on an open flame or other ignition or burn, even after use. from sunlight. Do not expose to t					
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized c Precautionary State P210: Keep away fro No smoking. P211: Do not spray o P251: Do not pierce	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, op on an open flame or other ignition or burn, even after use. from sunlight. Do not expose to t	source.				
2	Labeling Elements:	Hazard Statements H222: Extremely Fla H229: Pressurized c Precautionary State P210: Keep away fro No smoking. P211: Do not spray o P251: Do not pierce P410+P412: Protect	mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children.	source.				
	Other Hazards:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use.	source.	Pictograms:			
		Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza	: mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use.	emperatures exceeding 50°C/122°F.	Pictograms:			
3	Other Hazards:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance	mmable Aerosol container: May burst if heated coments: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to Regulation (EC) No. 1907/20	emperatures exceeding 50°C/122°F.	Pictograms:			
3	Other Hazards:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance	mmable Aerosol container: May burst if heated coments: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to Regulation (EC) No. 1907/20	emperatures exceeding 50°C/122°F.	Pictograms:			
3 E (Other Hazards:	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance	mmable Aerosol container: May burst if heated coments: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to Regulation (EC) No. 1907/20	emperatures exceeding 50°C/122°F.	Pictograms:			
3 E (2	Other Hazards: TION 3: Composit	Hazard Statements H222: Extremely Fla H229: Pressurized o Precautionary State P210: Keep away fro No smoking. P211: Do not spray o P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance	mmable Aerosol container: May burst if heated coments: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to Regulation (EC) No. 1907/20	emperatures exceeding 50°C/122°F. ication. Mixture does not meet the crite 06, Annex XIII.	Pictograms:			
3 E (2 HE	Other Hazards: TION 3: Composit Mixtures: MICAL NAME	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other hazary PvBs in accordance on / Information of CAS No. EC No.	mmable Aerosol container: May burst if heated ements: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to to Regulation (EC) No. 1907/20 on Ingredients Hazard Classification	remperatures exceeding 50°C/122°F. rication. Mixture does not meet the crite 06, Annex XIII. Hazard Statements	Pictograms:			
.3 .2 HE	Other Hazards: TION 3: Composit Mixtures: MICAL NAME	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other hazary PvBs in accordance on / Information of CAS No. EC No.	mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classifie to Regulation (EC) No. 1907/20 on Ingredients Hazard Classification Flammable Gas, Category 1	emperatures exceeding 50°C/122°F. ication. Mixture does not meet the crite 06, Annex XIII. Hazard Statements H220: Extremely flammable gas	Pictograms:			
.3 .2 .HE	Other Hazards: TION 3: Composit Mixtures: MICAL NAME thyl Ether	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance on / Information of CAS No.	mmable Aerosol container: May burst if heated ements: com heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classif to to Regulation (EC) No. 1907/20 on Ingredients Hazard Classification	ication. Mixture does not meet the crite 06, Annex XIII. Hazard Statements H220: Extremely flammable gas H225: Highly flammable liquid and	Pictograms: ria for PBTs or % by Weigl 65 - 75			
3 <u>E(</u> 2 HE	Other Hazards: TION 3: Composit Mixtures: MICAL NAME thyl Ether	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other hazary PvBs in accordance on / Information of CAS No. EC No.	mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classifie to Regulation (EC) No. 1907/20 on Ingredients Hazard Classification Flammable Gas, Category 1	emperatures exceeding 50°C/122°F. ication. Mixture does not meet the crite 06, Annex XIII. Hazard Statements H220: Extremely flammable gas H225: Highly flammable liquid and vapour	Pictograms:			
3 HE me	Other Hazards: TION 3: Composit Mixtures: MICAL NAME thyl Ether	Hazard Statements H222: Extremely Fla H229: Pressurized of Precautionary State P210: Keep away fro No smoking. P211: Do not spray of P251: Do not pierce P410+P412: Protect P102: Keep out of re P103: Read label be No known other haza vPvBs in accordance on / Information of CAS No.	mmable Aerosol ontainer: May burst if heated ements: om heat, hot surfaces, sparks, open an open flame or other ignition or burn, even after use. from sunlight. Do not expose to teach of children. fore use. ards which do not result in classifie to Regulation (EC) No. 1907/20 on Ingredients Hazard Classification Flammable Gas, Category 1 Flammable Liquid, Category 2	ication. Mixture does not meet the crite 06, Annex XIII. Hazard Statements H220: Extremely flammable gas H225: Highly flammable liquid and	ria for PBTs or % by Weig 65 - 75			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as physical, health or environmental hazards, are PBTs or vPvBs, or have been assigned an occupational exposure limit within EU OEL Directives, and hence require reporting in this section.

SAFETY DATA SHEET

SEC	TION 4: First Aid Me	easures
	Description of First	Ingestion: Not a likely route of exposure due to the form of the product.
	Aid Measures:	Eyes: In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction or if symptoms persist. Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.
	Most Important Symptoms and Effects, Both Acute and Delayed:	No known symptoms when used as intended. Intentional misuse by deliberately concentrating and inhaling the contents may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness), and rapid suffocation by displacing oxygen.
4.3	Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. No known specific antidotes.
SEC	TION 5: Eirofighting	I Mogeuroe
	TION 5: Firefighting Extinguishing Media:	
		Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Unsuitable Extinguishing Media: None known.
5.2	Special Hazards	Danger! Extremely Flammable Aerosol: Vapours may burn or form explosive mixture with air.
	Arising from the	Pressurized container: May burst if heated. May produce oxides of carbon and/or nitrogen on combustion.
5.3	Substance or Mixture: Advice for	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting
5.3	Firefighters:	procedures.
		F55555-55-
SEC	TION 6: Accidental	Release Measures
6.1	Personal Precautions, Protective Equipment and Emergency Procedures:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.
6.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.
6.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Use non-sparking tools and equipment. Take action to prevent static discharges.
6.4	Reference to Other Sections:	For personnel protection, see Section 8. For waste disposal, see Section 13.
SEC	TION 7: Handling a	ad Storago
	TION 7: Handling as Precautions for Safe	
/.I	Handling:	Pressurized container. Do not pierce or burn, even after use. Utilize safe handling and transportation techniques to avoid puncture of the container. Do not use if spray button is missing or defective. Do not spray on open flame or other ignition source. Ensure adequate ventilation in the workplace. Do not re-use containers. Avoid direct eye contact. Wear appropriate personal protective equipment (see Section 8). Do not smoke while using or until sprayed surface is thoroughly dry. Do not eat or drink while handling. Wash hands thoroughly after handling. Observe good hygiene practices.
7.2	Conditions for Safe	Pressurized container: May burst if heated. Store in a cool, dry, and well-ventilated area away from direct sun-
		light. Do not expose to temperatures exceeding 50°C/122°F. Do not store near heat, hot surfaces, sparks, open flames and other ignition sources. Store away from incompatible materials (see Section 10).
7.3	Specific End Use(s):	No further relevant information available.

SAFETY DATA SHEET

BEDROOM.HAIR Revision Date: 25Jan23 SDS-000017-07

SECTION 8: Exposure Controls / Personal Protection

Control parameters have been published by the referenced authority to establish exposure limits in the work environment. Employee work areas should be monitored to ensure that permissible limits are not exceeded during the work day.

	Control Parameters:	Component	CAS No.	Occupational Exposure Limits (OEL)				
		Name	CAS NO.	Reference	Туре	ppm	mg/m	
		Dimethyl Ether	115-10-6	European Union, IOELV Directives	TWA	1000	1920	
				Austria, OEL Regulation	MAK	1000	1910	
				Belgium, OEL Values	TWA	1000	1920	
				Bulgaria, OEL Regulation No 13	TWA	1000	1920	
				Croatia, ELV Narodne Novine	MAC	1000	1920	
				Cyprus EL Regulation	TWA	1000	1920	
				Czech Republic, OEL Decree 361	TWA	NE	1000	
				Denmark, Limit Values Executive Order	TLV	1000	1920	
				Estonia, OEL Regulation	TWA	1000	1920	
				Poland, OEL Ordinance	TWA	NE	1800	
				Romania, OEL Law	TWA	778	1400	
				Spain, OEL INSHT	TWA	1000	NE	
		Ethanol	64-17-5	Austria, OEL Regulation	MAK	1000	1900	
				Belgium, OEL Values	TWA	1000	1907	
				Bulgaria, OEL Regulation No 13	TWA	NE	1000	
				Croatia, ELV Narodne Novine	MAC	1000	1900	
				Czech Republic, OEL Decree 361	TWA	NE	1000	
				Denmark, Limit Values Executive Order	TLV	1000	1900	
				Estonia, OEL Regulation	TWA	500	1000	
				Finland, OEL Decree	TWA	1000	1900	
				France, VLEP INRS	VME	1000	1900	
				Germany, DFG MAK	TWA	500	960	
				Germany, AGS TRGS	AGW	500	960	
				Greece, OEL Decree	TWA	1000	1900	
				Hungary, OEL Decree	TWA	NE	1900	
				Ireland, OEL Regulation	STEL	1000	NE	
				Latvia, OEL Regulation	TWA	NE	1000	
				Lithuania, IPRV	TWA	500	1000	
				Netherlands, OEL SER	TWA	NE	260	
				Poland, OEL Ordinance	TWA	NE	1900	
				Portugal, OEL Standard NP 1796	TWA	1000	NE	
				Romania, OEL Law	TWA	1000	1900	
				Slovakia, OEL Regulation	TWA	500	960	
				Slovenia, OEL Regulation	TWA	1000	1900	
				Spain, OEL INSHT	STEL	1000	1910	
				Sweden, OELV AFS	TWA	500	1000	
		0:1:	7004 00 0	United Kingdom, WEL	TWA	1000	1920	
	Silica, Amorphous	, , , , , , , , , , , , , , , , , , ,		Austria, OEL Regulation	MAK TWA	NE NE	4 10	
		Amorphous		Belgium, OEL Values				
				Denmark, Limit Values Executive Order	TLV	NE	2	
				Finland, OEL Decree	TWA TWA	NE NE	5	
				Germany, DFG MAK Germany, AGS TRGS	AGW	NE NE	4	
				Ireland, OEL Regulation	TWA	NE	6	
				Latvia, OEL Regulation	TWA	NE	1	
				United Kingdom, WEL	TWA	NE	6	
	Dagamusuded	Workplace atmo	snheric mon	itoring may be required to determine the effect			_	
	Monitorina	control measure	s and/or the	necessity to use respiratory protective equipm	nent Referen	ce monitor	ina	
	Procedures	standards such	as Furnnear	n Standards EN 689 and EN 482. Reference r	ational quida	ance docum	nents for	
	Procedures:				iational guide	ando docum	101113 101	
	Biological Limit		hods for the determination of hazardous substances.					
	Values:	No biological ex	posure limits	noted for the ingredients.				
	Derived No Effect							
	Level (DNEL):	Not available						

SAFETY DATA SHEET

	Predicted No Effect					
	Concentrations (PNEC):					
8.2	Exposure Controls:					
	•					
	Engineering Controls:	Provide adequate ventilation in the workplace to maintain airborne levels below recommended exposure limits.				
		Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exist				
		in the workplace.				
		No special skin protection is required during consumer product use. If anticipated that prolonged or repeated				
		skin contact will occur in the workplace, wear impermeable gloves and suitable protective clothing. If airborne exposure limits are exceeded, wear suitable respirator that meets current occupational health and				
		safety standards.				
		Refer to Section 5 for fire personal protective equipment.				
		Do not eat, drink or smoke during product use or handling. Wash hands after handling. Observe good perso				
		hygiene measures. Routinely wash work clothing and protective equipment.				
	Environmental	Environmental manager must be informed of all major releases.				
	Exposure Controls:	Environmental manager must be informed or all major releases.				
CEO.	TION Or Dhysical an	d Observing December				
		d Chemical Properties				
9.1		Physical and Chemical Properties:				
		Clear light yellow liquid, aerosol spray				
		Fragrance No data available on this product				
		No data available on this product				
		<u> </u>				
		Not applicable due to form of product				
		No data available on this product				
Initial Boiling Dimethyl Ether: -25°C (-13°F); Ethanol: 78.2°C (173°F)		Dimethyl Ether: -25°C (-13°F); Ethanol: 78.2°C (173°F)				
	Point/Boiling Range:	Dimethyl Ether: -41°C (-42°F) closed cup; Ethanol: 13°C (55°F): closed cup				
		No data available on this product				
	Flammability (solid,	·				
	gas):	No data available on this product				
	Upper/Lower					
Flammability or LEL 3.4% (Dimethyl Ether), 19.0		LEL: 3.4% (Dimethyl Ether), 3.3% (Ethanol)				
	Explosive Limits:					
	Vapor Pressure:	65 - 75 psig @ 21°C (70°F)				
	Vapor Density:	No data available on this product				
	Relative Density (water=1.0):	0.858 - 0.882				
		No data available on this product				
	Partition Coefficient	Ethanol: -0.31 Log K _{ow}				
		Dimethyl Ether: 0.10 Log K _{ow}				
	Autoignition	No data available on this product				
	Decomposition	No data available on this product				
	Temperature:					
		No data available on this product				
		No data available on this product				
		No data available on this product				
9.2	Other Information:	No relevant additional information available on this product.				
SEC	TION 10: Stability a	nd Reactivity				
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.				
	Chemical Stability:	The product is stable under normal handling and storage conditions.				
10.3	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.				
	Hazardous Reactions:					
10.4	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.				

SAFETY DATA SHEET

10.5	Incompatible	Ctrong saids bases and suidining agents			
	Materials:	Strong acids, bases, and oxidizing agents.			
0.6	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on			
	Decomposition	combustion.			
	Products:	COMBUSTION.			
	TION 11: Toxicolog				
11.1		ogical Effects: No data available on the mixture. Health effects of the mixture are derived from ingredient			
		ntrations present, and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS]. If available, relevant			
		of the components that contribute to classification of the mixture in Section 3 are provided. Evaluations for the			
		n additional information not shown. The product uses ingredients presented herein from suppliers that have not			
		n animals for cosmetic purposes since the 11-March-2009 time table set forth by the EU Commission in smetic Regulation (EC) No. 1223/2009.			
	Potential Acute	Eye Exposure: No adverse effects expected from normal use. Spraying directly in the eyes may cause slight,			
	Health Effects and	transient discomfort/irritation.			
	ricaltii Eliects and	Skin Exposure: No adverse effects expected from normal use. Prolonged or repeated skin exposure may			
		cause defatting, drying and cracking of the skin.			
		Ingestion: Not a likely route of exposure due to the form of the product. May cause gastrointestinal			
		discomfort/irritation if swallowed.			
		Inhalation: No adverse effects expected from normal use. Intentional misuse by deliberately concentrating			
		and inhaling the contents may cause nausea, vomiting, and signs of central nervous system depression			
		(headache, dizziness, and drowsiness), and rapid suffocation by displacing oxygen.			
	Potential Chronic	None known			
	Health Effects:				
	Acute Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met.			
		Ethanol: CAS 64-17-5			
		Oral LD50: 7060 mg/kg (Rat)			
		Dermal LD50: 20,000 mg/kg (Rabbit)			
		Inhalation LC50: > 60,000 ppm (114 mg/L), 1 hour (Mouse)			
		Dimethyl Ether: CAS 115-10-6			
		Oral Toxicity: Study technically not feasible			
		Dermal Toxicity: Study technically not feasible			
	Claim Commonion/	Inhalation LC50: 164,000 ppm (309 mg/L), 4 hours (Rat) Product Summary/Conclusion: Based on available data, classification criteria are not met.			
		Ethanol: CAS 64-17-5			
	irritation:	Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating			
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repeat			
		dose situations			
		Dimethyl Ether: CAS 115-10-6			
		Study technically not feasible			
	Serious Eve	Product Summary/Conclusion: Based on available data, classification criteria are not met.			
		Ethanol: CAS 64-17-5			
	J	Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Moderately irritating			
		Draize Eye Irritation, Rabbit (25-50% active): Non-irritating			
		Dimethyl Ether: CAS 115-10-6			
		Study technically not feasible			
	Respiratory or Skin	Product Summary/Conclusion: Based on available data, classification criteria are not met.			
	Sensitization:	Ethanol: CAS 64-17-5			
		Respiratory Sensitization: No reports of human respiratory sensitization			
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.			
		Dimethyl Ether: CAS 115-10-6			
		Respiratory Sensitization: No evidence of respiratory sensitization during inhalation exposures.			
		Skin Sensitization: Study technically not feasible			
	Germ Cell	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components			
	Mutagenicity:	at levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP].			
	matagementy.	Ethanol: CAS 64-17-5			
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to			
		maximum plate concentration of 10 mg/plate, with and without metabolic activation			

SAFETY DATA SHEET

		Dimethyl Ether: CAS 115-10-6
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and
		Escherichia coli, with and without metabolic activation
		In-vivo: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in
		Drosophilia melanogaster
	Carcinogenicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components
		at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/2008 [CLP].
		Dimethyl Ether: CAS 115-10-6
		Combined Chronic Toxicity/Carcinogenicity, OECD 453, Rat, Inhalation: Not carcinogenic
	Reproductive	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components
	Toxicity:	at levels greater than or equal to 0.1% are listed as a reproductive toxin in EU Regulation (EC) No. 1272/2008 [CLP].
		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm, NOAEL (teratogenicity) ≥ 20,000 ppm (highest concentration tested)
		Dimethyl Ether: CAS 115-10-6
		Chronic Toxicity, OECD 452, Rat, Inhalation: NOAEL 25,000 ppm (highest concentration tested) - No
		adverse effects on reproductive organs or tissues
		·
		Prenatal Developmental Toxicity, OECD 414, Rat: NOAEL (maternal systemic effects) 1250 ppm, NOAEL (fetal developmental effects) 40,000 ppm
	STOT-Single	·
		Based on available data, classification criteria are not met.
	•	Product Summary/Conclusion: Based on available data, classification criteria are not met.
	Exposure:	Ethanol: CAS 64-17-5
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC ≥ 6130 ppm
		Dimethyl Ether: CAS 115-10-6
	Assissing Hansud	Chronic Toxicity, OECD 452, Rat, Inhalation: NOAEL 47106 mg/m ³
		Not classified due to form of the product.
	Other Information:	No other relevant information available.
SEC.	TION 12: Ecologica	Information
	Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met.
12.1	TOXICITY.	No data available on the mixture. Environmental toxicity of the mixture derived from ingredient information, concentrations present and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS].
		Ethanol: CAS 64-17-5
		Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)
		Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)
		Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
		Dimethyl Ether: CAS 115-10-6
		Aquatic Plants EC50: 154.9 mg/L, 96 hours, ECOSAR Calculation (Green Algae)
		Crustacea EC50: > 4400 mg/L, 48 hours (Daphnia magna)
		Fish LC50: > 4100 mg/L, 96 hours (Poecilia reticulate)
12.2	Persistence and	Ethanol: CAS 64-17-5
	Degradability:	Readily biodegradable
		Dimethyl Ether: CAS 115-10-6
		OECD 301D (closed bottle test): Not readily biodegradable
12.3	Bioaccumulative Poter	
		Ethanol (CAS 64-17-5): -0.31 (log K _{ow})
	n-octanol/water	Dimethyl Ether (CAS 115-10-6): 0.10 (log K _{ow})
	Bioconcentration Factor (BCF):	Not available
12.4	Mobility in Soil:	Not available
	Populte of DRT and	
	vPvB Assessment:	Not available

SAFETY DATA SHEET

12.6	Other Adverse Effects:	No other known adverse environmental e	effects or critical hazards.					
SFC	TION 13: Disnosal	Considerations						
	TION 13: Disposal Considerations Waste Treatment Methods:							
10.1		Dispose of waste material and containers in accordance with appropriate local, regional, and national regulations. Do not dispose through sewage. Empty containers should be taken to an approved waste handling site for recycling or disposal.						
	Special Precautions	recautions: Empty container may retain product residue. Observe all precautions for ignitable waste and pressurized container.						
SEC	TION 14: Transpor							
	Shipment in Consume ackaging - Limited Quantit Maximum gross weight pe package <u><</u> 30 k	RID (Rail)	IMDG (Sea)	IATA (Air)				
	UN Number:	Not applicable	UN1950	ID8000				
	UN Proper Shipping Name:	Not applicable	Aerosols	Consumer Commodity				
14.3	Transport Hazard	Not applicable	2.1	9				
	Classes:	\Diamond	\Diamond					
14.4	Packing Group:	None	None	None				
14.5	Environmental Hazards:	None	None	None				
14.6	Special Precautions for User:	Transport within user's premises: Transp emergency procedures before handling.	ort in closed containers that are	upright and secure. Read SDS and				
	According to Annex I of Marpol and the IBC Code:							
SEC	TION 15: Regulato	ry Information						
15.1	Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture: EU Regulation (EC) No. 1907/2006 REACH Article 59(10) and Annexes XIV and XVII, as amended: No components in this product are listed. EU Directive 2012/18/EU on major accident hazards involving dangerous substances: Dimethyl Ether (CAS 115-10-6),							
	Ethanol (CAS 64-17-5) EU Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended: No components in this product are listed.							
	EU Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I, as amended: No components in this product are							
	EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as amended: No components in this product are listed.							
	EU Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: No components in this product are listed.							
	National Regulations of EU Member States: Follow national regulations for work with chemical agents. German Water Hazard Class (WGK) for Mixture: WGK 1							
15.2	Chemical Safety Assessment:	No Chemical Safety Assessment has been	en carried out.					
SEC	TION 16: Other Info	ormation						
Lege		ropean Agreement Concerning Internationa	al Carriage of Dangerous Goods	s by Inland Waterways				
_	eviations: ADR: Eu	ropean Agreement Concerning Internationa						
		AFS: Work Environment Provisions AGS: Committee on Hazardous Substances						
		W: Occupational Limit Values						
	CAS: Ch	emical Abstracts Service						
	CLP: Cla	ssification, Labelling and Packaging of Sub	ostances and Mixtures (EC No.	1272/2008)				

SAFETY DATA SHEET

	DFG: Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (known as the MAK
	Commission)
	EC: European Commission
	EC50: Effective Concentration, 50%
	EL: Exposure Limits
	ELV: Exposure Limit Values
	EU: European Union
	GHS: Globally Harmonized System of Classification and Labelling Chemicals
	IATA: International Air Transport Association
	IBC: Intermediate Bulk Container
	IOELV: Indicative Occupational Exposure Limit Values
	IMDG: International Maritime Dangerous Goods
	INRS: The French National Research and Safety Institute for the Prevention of Occupational Accidents and Diseases
	INSHT: National Institute for Occupational Safety and Health
	IPRV: Long Term Exposure Limit Value
	LC50: Lethal Concentration, 50%
	LD50: Lethal Dose, 50%
	LOAEL: Lowest Observed Adverse Effect Level
	Log K _{ow} : Logarithm of the n-octanol/water partition coefficient
	MAC: Maximum Workplace Concentrations
	MAK: Maximum Workplace Concentrations
	NE: Not Established
	NOAEC: No Observed Adverse Effect Concentration
	NOAEL: No Observed Adverse Effect Concentration NOAEL: No Observed Adverse Effect Level
	OECD: Organisation for Economic Co-operation and Development OEL: Occupational Exposure Limit
	OELV: Occupational Exposure Limit Value
	PBT: Persistent, Bioaccumulative, and Toxic
	vPvB: very Persistent and very Bioaccumulative
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	SER: Social and Economic Council of the Netherlands
	STEL: Short Term Exposure Limits
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TRGS: Technical Rules for Hazardous Substances
	TWA: Time Weighted Average
	UN: United Nations
	VLEP: Occupational Exposure Limit Values
	VME: Limit Value of Average Exposure
	WEL: Workplace Exposure Limits
Evaluation Method	ds Used for Classification of the Mixture According to EU Regulation (EC) No. 1272/2008: Calculation method
	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult
Training Advice:	resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any
	hazards associated with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this
	product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be
	accurate as of the date of publication. This information is offered in good faith by Kevin Murphy Business Services Pty
	Ltd and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or
	implied, are provided. If this product is combined with other materials, all component properties must be considered. The
	user assumes all liability for any damage or from any hazards inherent in the nature of the product.
Last Revision	LEN OF
Date:	15Nov21
Revision	
Information:	Corrected product code and updated format in section 1.
ormanon.	