300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 1/19

Replaced revision:7 (Dated: 30/04/2024)

Safety Data Sheet
According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

300338 Code:

Product name PRORASO BEARD WASH WOOD AND SPICE

Other codes 400750, 400627

ACST-WUJ8-900A-QK3C UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Beard care product

Cosmetic product	
	✓
Intermediate bulk -	-

Uses Advised Against

Any use not specified in this section or in section 7.3

1.3. Details of the supplier of the safety data sheet

Name LUDOVICO MARTELLI S.P.A. Full address

VIA FAENTINA 169/12 District and Country 50014 FIESOLE (FI)

ITALIA

Tel. 055 737821 Fax 055 7378290

e-mail address of the competent person

responsible for the Safety Data Sheet ludovico_martelli@proraso.com

Supplier:

Ludovico Martelli S.p.A.

1.4. Emergency telephone number

CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma -For urgent inquiries refer to

Piazza Sant'Onofrio, 4 CAP 00165 - tel. 06-68593726

Az. Osp. Univ. Foggia Foggia -V.le Luigi Pinto, 1 CAP 71122 - tel. 800183459 Az. Osp. "A. Cardarelli" Napol - Via A. Cardarelli, 9 CAP 80131 - tel. 081-5453333 CAV Policlinico "Umberto I" Roma - V.le del Policlinico, 155 CAP 00161 - tel. 06-49978000

CAV Policlinico "A. Gemelli" Roma - Largo Agostino Gemelli, 8 CAP 00168 - tel. 06-3054343

Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze - Largo Brambilla, 3 CAP 50134 tel. 055-7947819

CAV Centro Nazionale di Informazione Tossicologica Pavia - Via Salvatore Maugeri, 10 CAP 27100 - tel. 0382-24444

Osp. Niguarda Ca' Granda Milano - Piazza Ospedale Maggiore, 3 CAP 20162 - tel. 02-66101029

Azienda Ospedaliera Papa Giovanni XXII Bergamo - Piazza OMS, 1 CAP 24127 - tel. 800883300

Azienda Ospedaliera Integrata Verona Verona - Piazzale Aristide Stefani, 1 CAP 37126 tel. 800011858

SECTION 2. Hazards identification

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 2/19

Replaced revision:7 (Dated: 30/04/2024)

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects.

category 3

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains: 2-acetoxy-2,3,8,8-tetramethyloctahydronaphthalene, BENZYL ALCOHOL

May produce an allergic reaction.

Precautionary statements:

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

P273 Avoid release to the environment.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 3/19

Replaced revision:7 (Dated: 30/04/2024)

Contains:

	2 %	OL 15 (1 (50) 4070/000 (OLD)
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
Ammonium Lauryl Sulfate INDEX -	5≤x< 6	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3
INDEX -	33110	H412
EC 931-558-1		Eye Dam. 1 H318: ≥ 20%, Eye Irrit. 2 H319: ≥ 10%
CAS 90583-11-2		LD50 Oral: 1800 mg/kg
REACH Reg. 01-2119519217-42-		
Cocamidopropyl Betaine		
INDEX -	1,5 ≤ x < 2	Eye Dam. 1 H318, Aquatic Chronic 3 H412
EC 931-333-8		Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 4%
CAS 147170-44-3		
REACH Reg. 01-2119489410-39		
PEG-90 Glyceryl Isostearate		
INDEX	$1,5 \le x < 2$	Aquatic Chronic 3 H412
EC -		
CAS 68958-58-7		
BENZYL ALCOHOL		
INDEX 603-057-00-5	0,354 ≤ x < 0,404	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Sens. 1B H317
EC 202-859-9	0,404	LD50 Oral: 1620 mg/kg
CAS 100-51-6		
REACH Reg. 01-2119492630-38		
LAURETH-3		
INDEX -	$0,25 \le x < 0,3$	Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412
EC 500-213-3		
CAS 68439-50-9		
REACH Reg. 01-2119487984-16		
2-acetoxy-2,3,8,8-		
tetramethyloctahydronaphthalene INDEX -	$0.25 \le x < 0.3$	Skin Irrit. 2 H315, Skin Sens. 1B H317, Aquatic Chronic 1 H410 M=1
EC 915-730-3		
CAS 54464-57-2		
REACH Reg. 01-2119489989-04		
DISODIUM EDTA		
INDEX -	$0.05 \le x < 0.1$	Acute Tox. 4 H332, STOT RE 2 H373
EC 205-358-3		STA Inhalation mists/powders: 1,5 mg/l
CAS 139-33-3		
REACH Reg. 01-2119486775-20		
Cedrene alpha		
INDEX -	$0 \le x < 0.025$	Asp. Tox. 1 H304, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=10, Aquatic
EC 207-418-4		Chronic 1 H410 M=10
CAS 469-61-4		
ACRYLAMIDE		

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 4/19

Replaced revision:7 (Dated: 30/04/2024)

INDEX 616-003-00-0 $0 \le x < 0.05$

Carc. 1B H350, Muta. 1B H340, Repr. 2 H361f, Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 1 H372, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Classification note according to Annex VI to

the CLP Regulation: D

LD50 Oral: 124 mg/kg, LD50 Dermal: 1141 mg/kg, STA Inhalation

mists/powders: 1,5 mg/l

EC 201-173-7 CAS 79-06-1

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.
INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.
INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024 Printed on 30/04/2024

Page n. 5/19

Replaced revision:7 (Dated: 30/04/2024)

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

 $IT\Delta$ Decreto Legislativo 9 Aprile 2008, n.81

GBR United Kingdom EU

EH40/2005 Workplace exposure limits (Fourth Edition 2020)
Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/183; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive OEL EU

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2023

Ammonium Lauryl Sulfate Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,13	mg/l	
Normal value in marine water	0,013	mg/l	

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024
Page n. 6/19

							Page n. 6/19 Replaced revision:7 (Date	ed: 30/04/2024)
								33,3 112027)
Normal value for fresh water	sediment			1,76	mg/k	g		
Normal value for marine water	er sediment			0,176	mg/k	g		
Normal value for marine water	er, intermittent release			0,305	mg/l			
Normal value of STP microor	ganisms			10	mg/l			
Normal value for the food cha	ain (secondary poison	ing)		300	mg/k	g		
Normal value for the terrestric	al compartment			0,276	mg/k	g		
Health - Derived no-effe	ect level - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				16,6 mg/kg		Systemic		Systemic
Inhalation			0,06 mg/m3	bw/d 1,5 mg/m3		0,1	0,1 mg/m3	3 mg/m3
Skin				31,25 mg/kg bw/d				62,5 mg/kg bw/d
Cocamidopropyl Betain Predicted no-effect concentra								
Normal value in fresh water	2001 11120			0,013	mg/l			
Normal value in marine water	r			0,0013	mg/l			
Normal value for fresh water				14,8	mg/k	g		
Normal value for marine water				1,48	mg/k			
				3000	mg/l			
Normal value of STP microor	yanısıns							
						a		
Normal value for the terrestri	al compartment)MEL		0,8	mg/k	9		
Normal value for the terrestri	al compartment ct level - DNEL / D Effects on	DMEL.			mg/k	g		
Normal value for the terrestria	al compartment	MEL Acute systemic	Chronic local	0,8 Chronic	mg/k Effects on workers Acute local	Acute	Chronic local	Chronic
Normal value for the terrestrian Health - Derived no-effer Route of exposure	al compartment cct level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 7,5 mg/kg	mg/k Effects on workers Acute local		Chronic local	Chronic systemic
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral	al compartment cct level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 7,5 mg/kg bw/d	mg/k Effects on workers Acute local	Acute	Chronic local	
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation	al compartment cct level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation	al compartment cct level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 7,5 mg/kg bw/d	mg/k Effects on workers Acute local	Acute	Chronic local	systemic
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation Skin	al compartment cct level - DNEL / D Effects on consumers		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrice Health - Derived no-effeet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL	al compartment oct level - DNEL / D Effects on consumers Acute local		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentra	al compartment oct level - DNEL / D Effects on consumers Acute local		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrict Health - Derived no-effe Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentration Normal value in fresh water	al compartment cot level - DNEL / D Effects on consumers Acute local ation - PNEC		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentra Normal value in fresh water Normal value in marine water	al compartment act level - DNEL / D Effects on consumers Acute local ation - PNEC		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d	mg/k Effects on workers Acute local	Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestria Health - Derived no-effe Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water	al compartment cct level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d	mg/k Effects on workers Acute local mg/l	Acute systemic	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrice Health - Derived no-effeet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentrate Normal value in fresh water Normal value for fresh water Normal value for fresh water	al compartment act level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment		Chronic local	Chronic systemic 7,5 mg/kg bw/d 13,04 mg/kg bw/d 13,04 mg/kg bw/d 11,04 mg/kg bw/d 11,01 mg	mg/k Effects on workers Acute local mg/l mg/l mg/k	Acute systemic	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrict Health - Derived no-effet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for marine water Normal value for marine water	al compartment act level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment mittent release		Chronic local	0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 10,1 5,27 0,527	mg/k Effects on workers Acute local mg/l mg/l mg/k	Acute systemic	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrict Health - Derived no-effet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentrate Normal value in fresh water Normal value for fresh water Normal value for marine water Normal value for marine water Normal value for water, interrections	al compartment act level - DNEL / D Effects on consumers Acute local action - PNEC r sediment er sediment mittent release rganisms		Chronic local	0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 1 1 0,1 5,27 0,527 2,3	mg/k Effects on workers Acute local mg/l mg/l mg/k mg/k mg/l	Acute systemic	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Normal value for the terrestrict Health - Derived no-effet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentration Normal value in fresh water Normal value for fresh water Normal value for fresh water	al compartment cot level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment mittent release rganisms al compartment ect level - DNEL / D Effects on	Acute systemic	Chronic local	0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 10,1 5,27 0,527 2,3 39	mg/k Effects on workers Acute local mg/l mg/l mg/k mg/k mg/l mg/l fmg/k Effects on	Acute systemic	Chronic local	systemic 44 mg/m3 12,5 mg/kg
Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentra Normal value in fresh water Normal value for fresh water Normal value for marine water Normal value for water, interr Normal value of STP microor Normal value for the terrestrice	al compartment cot level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment mittent release rganisms al compartment ect level - DNEL / D	Acute systemic	Chronic local Chronic local	0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 11 0,1 5,27 0,527 2,3 39 0,456	mg/k Effects on workers Acute local mg/l mg/l mg/k mg/k mg/l mg/l mg/k	Acute systemic g g g Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg bw/d Chronic
Normal value for the terrestrice Health - Derived no-effet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentrate Normal value in fresh water Normal value for fresh water Normal value for marine water Normal value for the terrestrice Health - Derived no-effet	al compartment cot level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment mittent release rganisms al compartment ect level - DNEL / D Effects on consumers	Acute systemic		0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 1 0,1 5,27 0,527 2,3 39 0,456	mg/k Effects on workers Acute local mg/l mg/k mg/k mg/l mg/l mg/k Effects on workers	Acute systemic g g g		systemic 44 mg/m3 12,5 mg/kg bw/d
Normal value for the terrestrice Health - Derived no-effet Route of exposure Oral Inhalation Skin BENZYL ALCOHOL Predicted no-effect concentre Normal value in fresh water Normal value for fresh water Normal value for marine water Normal value for marine water Normal value for water, interr Normal value of STP microor Normal value for the terrestrice Health - Derived no-effet Route of exposure	al compartment act level - DNEL / D Effects on consumers Acute local ation - PNEC r sediment er sediment mittent release rganisms al compartment act level - DNEL / D Effects on consumers Acute local	Acute systemic DMEL Acute systemic	Chronic local	0,8 Chronic systemic 7,5 mg/kg bw/d 13,04 mg/m3 7,5 mg/kg bw/d 11,04 mg/m3 7,5 mg/kg bw/d 11,01 mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m	mg/k Effects on workers Acute local mg/l mg/k mg/k mg/l mg/l mg/k Effects on workers	Acute systemic g g g Acute	Chronic local	systemic 44 mg/m3 12,5 mg/kg bw/d Chronic

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 7/19

Replaced revision:7 (Dated: 30/04/2024)

LAURETH-3 Predicted no-effect concentration	on - PNEC							
Normal value in fresh water				0,074	mg	<u>/</u> /		
Normal value in marine water				0.0074	mg			
Normal value for fresh water se	diment			66,67	mg			
Normal value for marine water :				6,667	mg			
Normal value for water, intermit				0,007	mg	_		
Normal value of STP microorga				10000				
				1	mg			
Normal value for the terrestrial		NAT I		1	mg	/kg		
Health - Derived no-effect	Effects on	NIEL .			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic	workers Acute local	Acute	Chronic local	Chronic
Oral				systemic 25 mg/kg		systemic		systemic
				bw/d				
Inhalation				87 mg/m3				294 mg/m3
Skin				1250 mg/kg bw/d				2080 mg/kg bw/d
2-acetoxy-2,3,8,8-tetrameter		phthalene						
	on - PNEC			0.0044		п		
Normal value in fresh water				0,0044	mg			
Normal value in marine water				0,00044	mg			
Normal value for fresh water se				3,73	mg			
Normal value for marine water				0,75	mg	/kg		
Normal value of STP microorga	nisms			10	mg	/I		
Normal value for the food chain	(secondary poison	ing)		26,7	mg	/kg		
Normal value for the terrestrial	compartment			2,7	mg	/kg		
Health - Derived no-effect	Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 3 mg/kg/d		systemic		systemic
Inhalation				9 mg/m3				30 mg/m3
Skin				17,2 mg/kg/d				28,7 mg/kg/
DISODIUM EDTA								
Threshold Limit Value	0	TIA/A/OL		OTEL /45		Remarks		
Type	Country	TWA/8h		STEL/15min		Observa		
		mg/m3	ppm	mg/m3	ppm			
051	EU	5					Polvere	
OEL	on - PNEC							
				2,2	mg	/I		
Predicted no-effect concentration						/I		
Predicted no-effect concentration				0,22	mg			
Predicted no-effect concentration Normal value in fresh water Normal value in marine water	ttent release			0,22 1,2	mg mg			
Normal value in marine water Normal value for water, intermit				· ·		/I		
Predicted no-effect concentration	nisms			1,2	mg	/I /I		

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 8/19

Replaced revision:7 (Dated: 30/04/2024)

Normal value for the atmosphere

NPI

Health - Derived no-ef	fect level - DNEL / [DMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
Inhalation		0,6 mg/m3		1,2 mg/m3		3 mg/m3		1,5 mg/m3

ACRYLAMIDE							
Threshold Limit Value	ue						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLEP	ITA	0,1				SKIN	
WEL	GBR	0,1				SKIN	
OEL	EU	0,1					
TLV-ACGIH		0,03				INHAL	
TLV-ACG I H		0,03				SKIN	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387)

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with

300338 - PRORASO BEARD WASH WOOD AND SPICE

Dated 30/04/2024 Printed on 30/04/2024

Page n. 9/19

Replaced revision:7 (Dated: 30/04/2024)

standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Value Information Appearance dense liquid Colour amber Odour characteristic not available Melting point / freezing point Initial boiling point not available Flammability not available Lower explosive limit not available Upper explosive limit not available > 60 °C Flash point Auto-ignition temperature not available Decomposition temperature not available 4,50 - 5,70Concentration: 100 % Temperature: 20 °C Kinematic viscosity not available Solubility not available

Partition coefficient: n-octanol/water not available Vapour pressure not available

1,025 - 1,045 g/cm3 Density and/or relative density

Relative vapour density not available Particle characteristics not applicable Temperature: 20 °C

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,40 %

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 10/19

Replaced revision:7 (Dated: 30/04/2024)

ACRYLAMIDE

Decomposes under the effect of heat.Maintaining a temperature of less than 40°C/104°F.Keep away from: oxidising agents,reducing agents,acids,bases.Avoid exposure to: light.

PVC and rubber are resistant.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ACRYLAMIDE

May polymerise on contact with: oxidising agents.May polymerise if exposed to: high temperatures,UV rays.May react violently with: sulphuric acid.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ACRYLAMIDE

Avoid exposure to: UV rays.

10.5. Incompatible materials

ACRYLAMIDE

Incompatible with: basic substances,oxidising agents,reducing agents.Corrodes: carbon steel.

10.6. Hazardous decomposition products

ACRYLAMIDE

May develop: nitric oxide.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 11/19

Replaced revision:7 (Dated: 30/04/2024)

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

Ammonium Lauryl Sulfate

LD50 (Dermal): > 2000 mg/kg LD50 (Oral): 1800 mg/kg rat

Cocamidopropyl Betaine

 LD50 (Dermal):
 > 2000 mg/kg

 LD50 (Oral):
 2335 mg/kg rat

PEG-90 Glyceryl Isostearate

LD50 (Oral): > 2000 mg/kg rat

BENZYL ALCOHOL

LD50 (Oral): 1620 mg/kg ratto LC50 (Inhalation mists/powders): > 4,178 mg/l/4h ratto

LAURETH-3

 LD50 (Dermal):
 3000 mg/rg

 LD50 (Oral):
 2000 mg/kg

 LC50 (Inhalation mists/powders):
 > 1,6 mg/l/4h

2-acetoxy-2,3,8,8-tetramethyloctahydronaphthalene

 LD50 (Dermal):
 5000 mg/kg ratto

 LD50 (Oral):
 5000 mg/kg ratto

DISODIUM EDTA

LD50 (Oral): > 2800 mg/l rat LC50 (Inhalation mists/powders): > 30 mg/l/4h

Cedrene alpha

 LD50 (Dermal):
 > 5000 mg/kg coniglio

 LD50 (Oral):
 > 5000 mg/kg ratto

ACRYLAMIDE

 LD50 (Dermal):
 1141 mg/kg Rat

 LD50 (Oral):
 124 mg/kg Rat

 LC50 (Inhalation mists/powders):
 > 12,1 mg/l/1h Rat

at the concentration of 50,7%

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 12/19

Replaced revision:7 (Dated: 30/04/2024)

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

2-acetoxy-2,3,8,8-tetramethyloctahydronaphthalene

BENZYL ALCOHOL

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

DISODIUM EDTA

LC50 - for Fish 100 mg/l/96h Lepomis macrochirus EC50 - for Crustacea 100 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 100 mg/l/72h scenedesmus subspicatus (algae)

LAURETH-3

LC50 - for Fish 1,2 mg/l/96h EC50 - for Crustacea 0,53 mg/l/48h

BENZYL ALCOHOL

300338 - PRORASO BEARD WASH WOOD AND SPICE

Dated 30/04/2024

Printed on 30/04/2024

Page n. 13/19

Replaced revision:7 (Dated: 30/04/2024)

 LC50 - for Fish
 460 mg/l/96h

 EC50 - for Crustacea
 230 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 770 mg/l/72h

Chronic NOEC for Crustacea 51 mg/l 21 giorni

Chronic NOEC for Algae / Aquatic Plants 310 mg/l 72h tasso di crescita

Cocamidopropyl Betaine

 LC50 - for Fish
 1,1 mg/l/96h

 EC50 - for Crustacea
 1,9 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 > 1,5 mg/l/72h

 Chronic NOEC for Fish
 0,135 mg/l

 Chronic NOEC for Crustacea
 > 0,32 mg/l

 Chronic NOEC for Algae / Aquatic Plants
 0,3 mg/l

PEG-90 Glyceryl Isostearate

 LC50 - for Fish
 > 100 mg/l/96h

 EC50 - for Crustacea
 > 10 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 > 10 mg/l/72h

Ammonium Lauryl Sulfate

LC50 - for Fish

3,6 mg/l/96h

EC50 - for Crustacea

4,7 mg/l/48h

EC50 - for Algae / Aquatic Plants

11 mg/l/72h

Chronic NOEC for Fish

1,357 mg/l

Chronic NOEC for Crustacea

0,508 mg/l

Chronic NOEC for Algae / Aquatic Plants

3 mg/l

2-acetoxy-2,3,8,8-

tetramethyloctahydronaphthalene

 LC50 - for Fish
 1,3 mg/l/96h ECHA

 EC50 - for Crustacea
 1,38 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 2,6 mg/l/72h

Cedrene alpha

EC50 - for Crustacea 0,044 mg/l/48h

12.2. Persistence and degradability

DISODIUM EDTA

Solubility in water 108 g/l 20°C

LAURETH-3

Solubility in water 1,3 mg/l

Rapidly degradable BENZYL ALCOHOL

Solubility in water 40 g/l

Rapidly degradable 92-96% OECD 301C

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 14/19

Replaced revision:7 (Dated: 30/04/2024)

ACRYLAMIDE

Solubility in water > 10000 mg/l

Rapidly degradable Cocamidopropyl Betaine Rapidly degradable Ammonium Lauryl Sulfate

Rapidly degradable 2-acetoxy-2,3,8,8-

tetramethyloctahydronaphthalene

Solubility in water 2,68 mg/l 20°C

Rapidly degradable Cedrene alpha Rapidly degradable

12.3. Bioaccumulative potential

DISODIUM EDTA

Partition coefficient: n-octanol/water <-4,3 Log Kow 25°C

LAURETH-3

Partition coefficient: n-octanol/water 5,24 25°C

BENZYL ALCOHOL

Partition coefficient: n-octanol/water 1,05 Log Kow handbook

BCF 1,37

ACRYLAMIDE

Partition coefficient: n-octanol/water -0,9

Ammonium Lauryl Sulfate

Partition coefficient: n-octanol/water 0,8

2-acetoxy-2,3,8,8-

tetramethyloctahydronaphthalene

Partition coefficient: n-octanol/water 5,65 30°C

Cedrene alpha

Partition coefficient: n-octanol/water 6,09 calculated

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 15/19

Replaced revision:7 (Dated: 30/04/2024)

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under	current provisions of t	he Code of International	Carriage of Dangerous	Goods by Road (ADR)	and by Rail (RID), of
the International Maritime Dangerous	Goods Code (IMDG),	and of the International.	Air Transport Associatioi	n (IATA) regulations.	

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
not applicable
14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

Revision n. 8 LUDOVICO MARTELLI S.P.A. Dated 30/04/2024 Printed on 30/04/2024 300338 - PRORASO BEARD WASH WOOD AND SPICE Page n. 16/19 Replaced revision:7 (Dated: 30/04/2024) not applicable 14.6. Special precautions for user not applicable 14.7. Maritime transport in bulk according to IMO instruments Information not relevant **SECTION 15. Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EU: None Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 <u>Product</u> 3 Point Contained substance Point 75 Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%. Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

None

None

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 17/19

Replaced revision:7 (Dated: 30/04/2024)

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

Ammonium Lauryl Sulfate

Cocamidopropyl Betaine

BENZYL ALCOHOL

DISODIUM EDTA

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 1B Carcinogenicity, category 1B

Muta. 1B Germ cell mutagenicity, category 1B

Repr. 2 Reproductive toxicity, category 2

Acute Tox. 3 Acute toxicity, category 3
Acute Tox. 4 Acute toxicity, category 4

STOT RE 1 Specific target organ toxicity - repeated exposure, category 1

Asp. Tox. 1 Aspiration hazard, category 1

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
Skin Sens. 1 Skin sensitization, category 1
Skin Sens. 1B Skin sensitization, category 1B

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H350 May cause cancer.

H340 May cause genetic defects.
H361f Suspected of damaging fertility.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 18/19

Replaced revision:7 (Dated: 30/04/2024)

H373 May cause damage to organs through prolonged or repeated exposure.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148

300338 - PRORASO BEARD WASH WOOD AND SPICE

Revision n. 8

Dated 30/04/2024

Printed on 30/04/2024

Page n. 19/19

Replaced revision:7 (Dated: 30/04/2024)

- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

The information contained herein is based on our state of knowledge at the above-specified date. It only provides indications for the correct and safe use, storage, transport and disposal of the product and it constitutes no guarantee of any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety

laws and regulations. The producer is relieved from any liability arising from improper uses.

This document complies with Regulation (EU) No. 2020/878 and allows users to correctly and safely manage the bulk product at the industrial level. Despite finished cosmetic products are explicitly excluded from the provisions of Title IV of Regulation (EC) No. 1907/2006, this document provides all actors in the supply chain with the necessary and most up-to-date information on the correct product use, transport and management, if this is applicable. We highlight that the information reported in section 2 of this document must not be included in the product labelling, since finished cometic products do not fall within the scope of Regulation (EC) No. 1272/2008, but they are labelled in accordance with article 19 of Regulation (EC) No. 1223/2009 and, for aerosol products, with Directive 75/324/EEC and his amendments.

Changes to previous review:

The following sections were modified: