SHIMMER.SHINE

SAFETY DATA SHEET

1.1	Product Identifier:	KEVIN.MURPHY SHIMMER.SHINE								
Product Codes: PN-KM-00103, VA-KM-00104										
.2	Relevant Identified	Personal Care - Hair Shine Spray								
	Uses:	reisonal Cale		Spray						
	Uses Advised Against:	None known								
3	Supplier of Safety Data	Kevin Murphy	Business Ser	vices Pty Ltd						
	Sheet:	47 Discovery, Suite 230, Irvine, CA 92618, USA								
		949-407-5100								
		KMRegulatory@kevinmurphy.com.au								
		Europe/International Australia								
					<u>Australia</u> Ozdare Pty Ltd					
		Kevin Murphy			7 Endeavour Way					
		+45 20 20 34 5			Sunshine West VIC 3020, Australia					
		KMRegulatory			+61 3 9314 9099					
4	Emergency Telephone			(North America), +1-813-2						
-	Number:					(China)				
				800-099-0731 (Mexico), 000-800-100-4086 (India), 400-120-0751 (China) tion Centre: 13 11 26						
		Kevin.wurphy	Chemitel Con	tract Number: Available upor	n request at KMRegulatory@kevinmur	pny.com.au.				
	TION 2: Hazards Ide	ntification								
			l haalth and a	in the second of the second	- fellowing along Gentley, and is a					
					ne following classification applies.					
1		Physical Hazards: Flammable Liquid - Category 3								
	Substance or Mixture:	Health Hazards: Not Classified								
_		Environmenta								
.2	Labeling Elements:	Hazard Signa				Hazard				
				Flammable Liquid and Vapou	ur.	Pictograms:				
		Precautionary			lamon and other instition courses. No	~				
		smoking.	vay nom neat,	, not surfaces, sparks, open i	lames and other ignition sources. No	J.				
			ntainer tiabtly	closed						
		P233: Keep container tightly closed. P403+P235: Store in well ventilated place. Keep cool. P102: Keep out of reach of children. P103: Read label before use.								
		P501: Dispose	vith all local. regional. national and							
			501: Dispose of contents and container in accordance with all local, regional, national and ternational regulations.							
_			-			/				
3	Other Hazards:				ion. Mixture does not meet the criteria	for PBIs or vPvB				
		in accordance	to Regulation	(EC) No. 1907/2006, Annex	XIII.					
		. /]		!!						
	TION 3: Composition	n / Informati	ion on ingr	edients						
.2	Mixtures: MICAL NAME		EC No.	Hazard Classificatio	n Hazard Statements	0/ by Woigh				
		CAS No.	EC NO.		H225: Highly flammable liqui	% by Weigh				
				Flammable Liquid, Category	3 ,					
thai	อไ	64-17-5	200-578-6	Eye Irritation, Category 2A	H319: Causes serious eye	30 - 50				
					irritation					
ecai	nethylcyclopentasiloxane	541-02-6	208-764-9	Flammable Liquid, Category		30 - 50				
					H225: Highly flammable liqui	d				
Hexamethyldisiloxane		107-46-0	203-492-7	Flammable Liquid, Category	and vapour	1 - 10				
	, Amorphous (1)	7631-86-9	231-545-4	Not applicable	Not applicable	< 0.1				
	ium Dioxide (1)	13463-67-7	236-675-5	Not applicable	Not applicable	< 0.1				
· · ·		1309-37-1	215-168-2	Not applicable	Not applicable	< 0.1				
on o	1) Substance with a workplace exposure limit.				* *					
	abotaneo mar a nomplaco									
) S		•	ich within the	ourropt knowledge of the aver	pplier and in the concentrations applic	able are alegalfica				

SHIMMER.SHINE

Г

SAFETY DATA SHEET

Revision Date: 07Oct21 SDS-000040-08

٦

SEC	TION 4: First Aid Me	
	Description of First Aid Measures:	Ingestion: In case of ingestion, do not induce vomiting without medical advice. Give victim several glasses of water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary. <u>Eyes</u> : In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction or if symptoms persist. <u>Skin</u> : If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. <u>Inhalation</u> : If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.
4.2	Most Important	
	Symptoms and Effects, Both Acute and Delayed:	No information available.
	Indication of	
	Immediate Medical	Provide general supportive measures and treat symptomatically. No known specific antidates
	Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. No known specific antidotes.
SEC	TION 5: Firefighting	Measures
	Extinguishing Media:	Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide.
		Unsuitable Extinguishing Media: None known.
	Special Hazards	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive
	Arising from the Substance or Mixture:	mixture with air. May produce oxides of carbon and/or nitrogen on combustion.
5.3	Advice for Firefighters:	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.
SEC	TION 6: Accidental F	Release Measures
6.1	Personal Precautions,	
	Protective Equipment and Emergency Procedures:	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.
	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.
6.3	Methods and Material	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Place all sweepings
	• ·	and absorbents into suitable containers for disposal. Use non-sparking tools and equipment. Take action to prevent static discharges.
	Reference to Other Sections:	For personnel protection, see Section 8. For waste disposal, see Section 13.
SEC	TION 7: Handling an	d Storago
ALL'S	now r. nanuling an	
7.1	Precautions for Safe Handling:	Do not use near open flames, sparks or other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wash hands thoroughly after handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.
7.1	Precautions for Safe Handling: Conditions for Safe	Do not use near open flames, sparks or other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wash hands thoroughly after handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good

SAFETY DATA SHEET

٦

SHIMMER.SHINE

Г

SEC		ontrols / Porsonal P	rotaction						
	Control Parameters:	Ontrols / Personal Protection Occupational Exposure Limits							
		CHEMICAL NAME	CAS	OSHA PEL	NIOSH REL	ACGIH	EU		
			Number	(TWA)	(TWA)	TLV	IOELV - BOELV		
		Ethanol	64-17-5	1000 ppm 1900 mg/m ³	1000 ppm 1900 mg/m ³	STEL: 1000 ppm	Not established (1)		
		Silica, Amorphous	7631-86-9	20 mppcf	6 mg/m ³	Not established	Not established (1)		
		Titanium Dioxide	13463-67-7	15 mg/m ³ (total dust) 5 mg/m ³ (resp. fraction)	See Pocket Guide Appendix A	TWA: 10 mg/m ³ (total dust) 3 mg/m ³ (resp. fraction)	Not established (1)		
		Iron Oxides	1309-37-1	10 mg/m ³ (fume) 15 mg/m ³ (total dust) 5 mg/m ³ (resp. fraction)	5 mg/m ³ (dust and fume)	TWA: 5 mg/m ³ (dust and fume) STEL: 10 mg/m ³ (fume)	Not established (1)		
		US IDHL: Ethanol - 3300 Titanium Dioxide - 5000 (1) Reference EU memb	mg/m ³ ; Iron Oxide	es - 2500 mg/m ³ (as	Fe)				
	Recommended	Workplace atmospheric	monitoring may be	e required to determ	nine the effective	eness of the ventila	tion or other control		
	Monitoring	Workplace atmospheric monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference monitoring standards, such as US NIOSH and OSHA Measurement Methods, European Standards EN 689 and EN 482. Reference national guidance documents for methods for the determination of hazardous substances.							
	Biological Limit Values:	This product does not contain substances with biological exposure limit values.							
	Derived No Effect Level (DNEL):	No information available	o information available						
	Predicted No Effect Concentrations (PNEC):	ntrations No information available							
8.2	Exposure Controls:	•							
	Appropriate Engineering Controls:	Provide adequate ventila	tion in the workpl	ace to maintain airb	orne levels belo	w recommended e	xposure limits.		
	Eye/Face Protection:					hazards exist in			
Skin and Hand No special skin protection is required during consumer product use. If anticip Protection: contact will occur in the workplace, wear impermeable gloves and suitable protection.				et use. If anticipa and suitable pro	ated that prolonged otective clothing.	or repeated skin			
	Respiratory Protection:	If airborne exposure limits are exceeded, wear suitable respirator that meets current occupational health and safety standards.							
		Refer to Section 5 for fire personal protective equipment.							
		: Do not eat, drink or smoke during product use or handling. Wash hands after handling. Observe good personal hygiene measures. Routinely wash work clothing and protective equipment.							
	Environmental Exposure Controls:	al Environmental manager must be informed of all major releases.							
SEC	TION 9: Physical and	d Chomical Properti	06						
	Information on Basic Pl								
5.1		Gold, translucent to opac		mmer					
		Sweet woody							
	Odor Threshold:	No data available on this	product						
	pH:	6.5 - 8.5							
Melting Point: No data available on this product									
1 F	Freezing Point:	No data available on this	product						

SAFETY DATA SHEET

SHIMMER.SHINE

	Initial Pailing				
	Initial Boiling Point/Boiling Range:	No data available on this product			
		23°C (73°F): closed cup			
	FidShipoint.	No data available on this product			
	Flammability (solid,	No data available on this product			
	gas):				
	Upper/Lower	UEL: 19.0% (Ethanol)			
	Flammability or	LEL: 3.3% (Ethanol)			
	Explosive Limits:				
	-	No data available on this product			
	Relative Density	0.860 - 0.880			
	(water=1.0):				
	Solubility (in water):	No data available on this product			
	Partition Coefficient	No data available on this product			
	(n-octanol/water):				
	Autoignition	No data available on this product			
	Temperature:				
1	Decomposition	No data available on this product			
1	Temperature:				
	Viscosity:	No data available on this product			
1		No data available on this product			
		No data available on this product			
9.2	Other Information:	No relevant additional information available on this product.			
0.2					
SEC	TION 10: Stability ar	nd Reactivity			
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.			
	Chemical Stability:	The product is stable under normal handling and storage conditions.			
		The product is stable under normal nariding and storage conditions.			
10.3	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.			
	Hazardous Reactions:	Disert overlight, overset, bigh as low temperatures and to see a flame, and other ignities sources			
	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.			
10.5	Incompatible	Strong acids, bases, and oxidizing agents.			
10.0	Materials:				
10.6	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.			
	Decomposition	The nazardous decomposition products are known, may produce ondes of carbon and/or mitogen on combustion.			
	Products:				
SEC	TION 11: Toxicologi	cal Information			
11.1					
	Information on Toxicological Effects: No data available on the mixture. Health effects of the mixture are derived from component literature review and concentrations present. If available, relevant toxicological properties of the components that contribute to classification of the mixture in Section 3 are provided. Evaluations for the mixture may be based on additional information not shown. The product uses ingredients presented herein from suppliers that have not tested the ingredients on animals for cosmetic purposes since the 11-March-200 time table set forth by the EU Commission in accordance with EU Cosmetic Directive (EC) No. 1223/2009.				
	Potential Acute	Eye Exposure: No adverse effects expected from normal use. Spraying directly in the eyes may cause slight,			
		transient discomfort/irritation.			
	Symptoms:	Skin Exposure: No adverse effects expected from normal use. Prolonged or repeated skin exposure may cause			
	-,	defatting, drying and cracking of the skin.			
		Ingestion: May cause gastrointestinal discomfort/irritation if swallowed. Ingestion of high concentrations may cause			
		nausea, vomiting, and signs of central nervous system depression (headache, dizziness and drowsiness).			
		Inhalation: No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and			
		signs of central nervous system depression (headache, dizziness, and drowsiness).			
1	Potential Chronic				
1	Health Effects:				
1	Acute Toxicity:	Based on available data, classification criteria are not met.			
1	Skin Corrosion/	Product Summary/Conclusion: Based on available data, classification criteria are not met.			
1		Ethanol: CAS 64-17-5			
1		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin			
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repeat dose			
		situations			
-					

SAFETY DATA SHEET

SHIMMER.SHINE

	Decamethylcyclopentasiloxane: CAS 541-02-6					
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin				
	Serious Eye	Product Summary/Conclusion: Based on available data, classification criteria are not met.				
	Damage/Irritation:	: Ethanol: CAS 64-17-5				
		Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Moderately irritating				
		Draize Eye Irritation, Rabbit (25-50% active): Non-irritating				
		Decamethylcyclopentasiloxane: CAS 541-02-6				
		Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Not irritating				
	Respiratory or Skin	Product Summary/Conclusion: Based on available data, classification criteria are not met.				
		Ethanol: CAS 64-17-5				
		Respiratory Sensitization: No reports of human respiratory sensitization				
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.				
		Decamethylcyclopentasiloxane: CAS 541-02-6				
		Skin Sensitization, OECD 429, Mouse: Not sensitizing				
	Course Coll	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at				
		levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP]. Ethanol: CAS 64-17-5				
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum				
		plate concentration of 10 mg/plate, with and without metabolic activation				
		Decamethylcyclopentasiloxane: CAS 541-02-6				
		Mammalian Chromosome Aberration Test (OECD 473), Hamster: Negative				
		No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/2008 [CLP], IARC, US-OSHA, or NTP.				
	Reproductive	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at				
	Toxicity:	levels greater than or equal to 0.1% are listed as a reproductive toxin in EU Regulation (EC) No. 1272/2008 [CLP].				
		Ethanol: CAS 64-17-5				
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest				
		concentration tested)				
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm, NOAEL				
		(teratogenicity) \geq 20,000 ppm (highest concentration tested)				
		Decamethylcyclopentasiloxane: CAS 541-02-6				
		Two-Generation Reproduction Toxicity, Rat, Inhalation: NOAEL \geq 160 ppm				
	STOT-Single					
	Exposure:	Based on available data, classification criteria are not met.				
		Product Summary/Conclusion: Based on available data, classification criteria are not met.				
		Ethanol: CAS 64-17-5				
	Exposure:					
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg				
		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC ≥ 6130 ppm				
		Decamethylcyclopentasiloxane: CAS 541-02-6				
		Repeated Dose 90-Day Oral Toxicity, OECD 408, Rat: NOAEL > 1000 mg/kg bw/d				
		Not classified due to lack of data.				
	Other Information:	No other relevant information available.				
SEC	TION 12: Ecological	Information				
-	Toxicity:	Product Summary/Conclusion: Based on available data, classification criteria are not met.				
		Ethanol: CAS 64-17-5				
		Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)				
		Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)				
		Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)				
12.2	Persistence and	hish 2000. > 10,000 mg/2, 50 hours (rambow rout), > 10,400 mg/2, 50 hours (rambaw mininow)				
12.2		No data available on this product				
12.2	Degradability:	l tiol:				
12.3	Bioaccumulative Poten					
	Partition Coefficient:	No data available on this product				
	n-octanol/water Bioconcentration					
12.4	Factor (BCF): Mobility in Soil:	Not available on this product				
	Results of PBT and					
	vPvB Assessment:	Not available				
12.6	Other Adverse Effects:	No other known adverse environmental effects or critical hazards.				

SAFETY DATA SHEET

SHIMMER.SHINE

Г

Revision Date: 07Oct21 SDS-

SDS-000040-08

٦

SEC	SECTION 13: Disposal Considerations								
13.1	Waste Treatment Methods:								
	Waste Disposal:	Dispose of waste material and containers in accordance with appropriate local, state, regional, and national regulations. Do not dispose through sewage. Empty containers should be taken to an approved waste handling site for recycling or disposal. U.S. EPA Waste Number: RCRA D001/Unlisted Ignitable Hazardous Waste.							
	Special Precautions:	Observe all pre	Observe all precautions for ignitable waste.						
SEC	TION 14: Transport	Information							
	eent in Consumer Packaging ed Quantity: Maximum gross weight per package <u><</u> 30 kg		IMDG (Sea)	IATA (Air)	ADR (Road) RID (Rail) ADN (Inland Waterways)				
14.1	UN Number:	Not applicable	UN1170	ID8000	Not applicable				
14.2	UN Proper Shipping Name:	Not applicable	Ethanol Solution	Consumer Commodity	Not applicable				
14.3	Transport Hazard Classes:	Not applicable	3	9	Not applicable				
		\diamondsuit	\diamond	\odot	\diamond				
	Packing Group:	Not applicable	III	Not applicable	Not applicable				
14.5	Environmental Hazards:	None	None	None	None				
14.6	Special Precautions for User:	Transport with handling.	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS before handling.						
14.7	Transport in Bulk According to Annex II of Marpol and the IBC Code:	Not applicable							
	TION 15: Regulatory								
15.1				pecific for the Substance or Mi					
	(CAS 541-02-6)				amended : Decamethylcyclopentasiloxane				
				olving dangerous substances: E					
	EU Regulation (EC) this product are listed		on substances that d	eplete the ozone layer, Annex I	and II, as amended: No components in				
	EU Regulation (EC)	No. 850/2004 (on persistent organic	pollutants, Annex I, as amended	d: No components in this product are listed.				
	EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as amended: No components in this product are listed.								
	EU Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: No components in this product are listed.								
	National Regulations of EU Member States: Follow national regulations for work with chemical agents.								
	German Water Hazard Class (WGK) for Mixture: WGK 1								
	US SARA 302 TPQ: No components in this product are listed.								
		US SARA 304 RQ: No components in this product are listed.							
	US SARA 311/312: No or								
	US SARA 313: No components in this product are listed.								
1	US CERCLA RQ: RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs US Clean Air Act (CAA) Section 112(r) TQ: No components in this product are listed.								
			.,	•					
		US Clean Water Act (CWA): No components in this product are listed. US State Regulations: Follow state regulations for work with chemical agents.							
15.2	Chemical Safety Assessment:	Chemical Safety No Chemical Safety Assessment has been carried out.							

SAFETY DATA SHEET

SHIMMER.SHINE

Revision Date: 07Oct21 SDS-000040-08

٦

SECTION 16: Of	ther Information
Legend to	ACGIH: American Conference of Governmental Industrial Hygienists
Abbreviations:	ADN: European Agreement Concerning International Carriage of Dangerous Goods by Inland Waterways
	ADR: European Agreement Concerning International Carriage of Dangerous Goods by Road
	BOELV: Binding Occupational Exposure Limit Values
	CAS: Chemical Abstracts Service
	CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
	CLP: Classification, Labelling and Packaging of Substances and Mixtures
	DOT: (US) Department of Transportation
	EC: European Commission
	EC50: Effective Concentration, 50%
	EPA: (US) Environmental Protection Agency
	EU: European Union
	GHS: Globally Harmonized System of Classification and Labelling Chemicals
	IARC: International Agency for the Research of Cancer
	IATA: International Air Transport Association
	IBC: Intermediate Bulk Container
	IDHL: Immediately Dangerous to Life or Health Concentrations
	IMDG: International Maritime Dangerous Goods
	IOELV: Indicative Occupational Exposure Limit Values LC50: Lethal Concentration, 50%
	LD50: Lethal Dose, 50% LOAEL: Lowest Observed Adverse Effect Level
	NIOSH: National Institute for Occupational Safety and Health
	NOSH: National Institute for Occupational Safety and Health NOAEC: No Observed Adverse Effect Concentration
	NOAEC. No Observed Adverse Effect Concentration
	NTP: National Toxicology Program
	OECD: Organisation for Economic Co-operation and Development
	OEL: Occupational Exposure Limit
	PBT: Persistent, Bioaccumulative, and Toxic
	vPvB: very Persistent and very Bioaccumulative
	PEL: Permissible Exposure Limit
	RCRA: Resource Conservation and Recovery Act
	REL: Recommended Exposure Limit
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	RQ: Reportable Quantity
	SARA: Superfund Amendments and Reauthorization Act
	STEL: Short Term Exposure Limit
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TPQ: Threshold Planning Quantity
	TQ: Threshold Quantity
	TWA: Time Weighted Average
	UN: United Nations
	US: United States
	US-OSHA: United States Occupational Safety & Health Administration
valuation Method	s Used for Classification of the Mixture: Calculation method and expert judgement.
	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as
Training Advice:	necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated
	with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this
	product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be
	accurate as of the date of publication. This information is offered in good faith by Kevin Murphy Business Services Pty Ltd and
	the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are
	provided. If this product is combined with other materials, all component properties must be considered. The user assumes all
	liability for any damage or from any hazards inherent in the nature of the product.
Leet Devision	
Last Revision	16Jul21
Date:	
Revision	Updated section 1.
Information:	1