SESSION.SPRAY

SAFETY DATA SHEET

	Product Identifier:	ion of the Substance/Mixture and of the Company/Undertaking KEVIN.MURPHY SESSION.SPRAY						
	Product Code:	PN-KM-00131						
2	Relevant Identified	Dorcono		and Hair Styling Broduct				
	Uses:	Persona	Personal Care - Aerosol Hair Styling Product					
	Uses Advised		None known					
3	Supplier of Safety		Internationa	Australia				
	Data Sheet:		Kevin Murphy Europe A/S Ozdare Pty Ltd					
				K-1432 Copenhagen K	7 Endeavour Way			
			20 34 56		Sunshine West VIC 3020, Australia			
		KMRegulatory@kevinmurphy.com.au +61 3 9314 909						
4	Emergency		CHEMTEL: 1-800-255-3924 (North America), +1-813-248-0585 (International) 1-300-954-583 (Australia), 800-099-0731 (Mexico), 000-800-100-4086 (India), 400-120-0751 (China					
	Telephone Number:				000-800-100-4086 (India), 400-120-0)751 (China)		
			Australia Poisons Information Centre: 13 11 26					
					upon request at KMRegulatory@kevinn			
			• •	aerosol can containing propellan	t) with references to the dispensed or u	npackaged		
odu	ct (liquid) to identify ha	azards as ne	ecessary.					
EC	TION 2: Hazards I	dentifica	tion					
e n	nixture has been asses	sed for its	ohysical, hea	Ith and environmental hazards,	and the following classification applies.			
1	Classification of the	Physica	I Hazards: F	Flammable Aerosol - Category 1				
	Substance or Mixtur	e: Health H	Hazards: Eye	e Irritation - Category 2B				
		Environ	mental Haza	ards: Not Classified				
2	Labeling Elements:							
	-	Hazard	Statements	:		Pictograms		
		H222: E	H222: Extremely Flammable Aerosol					
		H229: P	H229: Pressurized container: May burst if heated					
		H320: C	320: Causes eye irritation					
		Precaut	Precautionary Statements:					
		P210: K	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking.					
			P211: Do not spray on an open flame or other ignition source.					
		P251: D	P251: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F P264: Wash hands thoroughly after handling. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove					
				sent and easy to do. Continue ri				
			P337+P317: If eye irritation persists: Get medical help. P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.					
			ead label be		Continue Mit to use the second second the second			
3	Other Hazards:			ards which do not result in classi to Regulation (EC) No. 1907/20	fication. Mixture does not meet the crite	ria for PBIS or		
			Taccordance	to Regulation (EC) No. 1907/20				
	TION 3: Composit	tion / Info	rmation o	n Ingradiants				
	Mixtures:			iningretients				
				Usered Classification	Hozard Statements	% by Waig		
HEN	IICAL NAME	CAS No.	EC No.	Hazard Classification	Hazard Statements	% by Weig		
				Flammable Liquid, Category 2	H225: Highly flammable liquid and			
than	ol	64-17-5	200-578-6	Eye Irritation, Category 2A	vapour	55 - 65		
					H319: Causes serious eye irritation			
	hyl Ether	115-10-6	204-065-8	Flammable Gas, Category 1	H220: Extremely flammable gas	25 - 35		
	-				ne supplier and in the concentrations ap			

SESSION.SPRAY

SAFETY DATA SHEET

Revision Date: 01Oct21 SDS-000028-07

SEC	TION 4: First Aid M	easures
4.1	Description of First	Ingestion: Not a likely route of exposure due to the form of the product.
	Aid Measures:	Eves: In case of eye contact, flush with copious amounts of water for at least 15 minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing. Seek medical attention in the event of an adverse reaction
		or if symptoms persist. Skin: If
		signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical
		attention in the event of an adverse reaction or if symptoms persist.
		Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the
		event of an adverse reaction or if symptoms persist.
4.2	Most Important	Spraying directly in the eyes may cause eye irritation. Symptoms may include mild stinging, tearing, and
	Symptoms and	redness. Intentional misuse by deliberately concentrating and inhaling the contents may cause nausea,
	Effects, Both Acute	vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness), and rapid
	and Delayed:	suffocation by displacing oxygen.
4.3	Indication of	
	Immediate Medical	Provide general supportive measures and treat symptomatically. No known specific antidotes.
	Attention and Special	r tovide general supportive measures and treat symptomatically. No known specific antidotes.
	Treatment Needed:	
<u>eec</u>	TION 5. Eirofighting	Maaauraa
3EU 5.1	TION 5: Firefighting Extinguishing Media:	
5.1		<u>Suitable Extinguishing Media:</u> Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Unsuitable Extinguishing Media: None known.
5.2	Special Herorda	
J.Z	Special Hazards Arising from the	Danger! Extremely Flammable Aerosol: Vapours may burn or form explosive mixture with air.
	Substance or Mixture:	Pressurized container: May burst if heated. May produce oxides of carbon and/or nitrogen on combustion.
F 0		
5.3	Advice for	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting
	Firefighters:	procedures.
SEC	TION 6: Accidental	Ralazsa Mazsuras
<u>6.1</u>	Personal Precautions,	
0.1	Protective Equipment	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of
	and Emergency	ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary
	Procedures:	personnel away.
6.2	Environmental	
•	Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.
6.3	Methods and Material	
	for Containment and	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Use non-sparking
	Cleaning Up:	tools and equipment. Take action to prevent static discharges.
6.4	Reference to Other	For personnel protection, see Section 8. For waste disposal, see Section 13.
	Sections:	
0-0		
	TION 7: Handling a	
7.1	Precautions for Safe	Pressurized container. Do not pierce or burn, even after use. Utilize safe handling and transportation
	Handling:	techniques to avoid puncture of the container. Do not use if spray button is missing or defective. Do not spray
		on open flame or other ignition source. Ensure adequate ventilation in the workplace. Do not re-use
		containers. Avoid direct eye contact. Wear appropriate personal protective equipment (see Section 8). Do not
		smoke while using or until sprayed surface is thoroughly dry. Do not eat or drink while handling. Wash hands
		thoroughly after handling. Observe good hygiene practices.
7.2	Conditions for Safe	Pressurized container: May burst if heated. Store in a cool, dry, and well-ventilated area away from direct sun-
	Storage, Including	light. Do not expose to temperatures exceeding 50°C/122°F. Do not store near heat, hot surfaces, sparks,
7.0	Any Incompatibilities:	open flames and other ignition sources. Store away from incompatible materials (see Section 10).
7.3	Specific End Use(s):	No further relevant information available.
SEC		Controls / Personal Protection
		published by the referenced authority to establish exposure limits in the work environment. Employee work
		ensure that permissible limits are not exceeded during the work day.

SAFETY DATA SHEET

SESSION.SPRAY

8.1	Control Parameters:	Component CAS No.		Occupational Exposure Limits (OEL)					
		Name	CAS No.	Reference	Туре	ppm	mg/m ³		
		Dimethyl Ether	115-10-6	European Union, IOELV Directives	TWA	1000	1920		
				Austria, OEL Regulation	MAK	1000	1910		
				Belgium, OEL Values	TWA	1000	1920		
				Bulgaria, OEL Regulation No 13	TWA	1000	1920		
				Croatia, ELV Narodne Novine	MAC	1000	1920		
				Cyprus EL Regulation	TWA	1000	1920		
				Czech Republic, OEL Decree 361	TWA	NE	1000		
				Denmark, Limit Values Executive Order	TLV	1000	1920		
				Estonia, OEL Regulation	TWA	1000	1920		
				Poland, OEL Ordinance	TWA	NE	1800		
				Romania, OEL Law	TWA	778	1400		
				Spain, OEL INSHT	TWA	1000	NE		
		Ethanol	64-17-5	Austria, OEL Regulation	MAK	1000	1900		
				Belgium, OEL Values	TWA	1000	1907		
				Bulgaria, OEL Regulation No 13	TWA	NE	1000		
				Croatia, ELV Narodne Novine	MAC	1000	1900		
				Czech Republic, OEL Decree 361	TWA	NE	1000		
				Denmark, Limit Values Executive Order	TLV	1000	1900		
				Estonia, OEL Regulation	TWA	500	1000		
				Finland, OEL Decree	TWA	1000	1900		
				France, VLEP INRS	VME	1000	1900		
				Germany, DFG MAK	TWA	500	960		
				Germany, AGS TRGS	AGW	500	960		
				Greece, OEL Decree	TWA	1000	1900		
				Hungary, OEL Decree	TWA	NE	1900		
				Ireland, OEL Regulation	STEL	1000	NE		
				Latvia, OEL Regulation	TWA	NE	1000		
				Lithuania, IPRV	TWA	500	1000		
				Netherlands, OEL SER	TWA	NE	260		
				Poland, OEL Ordinance	TWA	NE	1900		
				Portugal, OEL Standard NP 1796	TWA	1000	NE		
				Romania, OEL Law	TWA	1000	1900		
				Slovakia, OEL Regulation	TWA	500	960		
				Slovenia, OEL Regulation	TWA	1000	1900		
				Spain, OEL INSHT	STEL	1000	1910		
				Sweden, OELV AFS	TWA	500	1000		
				United Kingdom, WEL	TWA	1000	1920		
	Recommended	Workplace atmo	spheric mon	itoring may be required to determine the effective	veness of the	he ventilatio	on or other		
		control measure	s and/or the	necessity to use respiratory protective equipme	nt. Referer	ice monitori	ng		
	Procedures:		•	n Standards EN 689 and EN 482. Reference na	itional guida	ance docum	ients for		
	Diele gie el Limit			n of hazardous substances.					
		No biological exposure limits noted for the ingredients.							
	Values:								
	Derived No Effect	Not available							
	Level (DNEL): Predicted No Effect								
	Concentrations (PNEC):	Not available							
.2	Exposure Controls:								
	•	priate Provide adequate ventilation in the workplace to maintain airborne levels below recommended exposure limits.							
	Engineering Controls:	Provide adequat	e ventilation	in the workplace to maintain airborne levels be	iow recomm	nenaed exp	osure limits		
	J - J	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exis in the workplace.							
	Skin and Hand			required during consumer product use. If antici	bated that r	prolonaed o	r repeated		
		skin contact will occur in the workplace, wear impermeable gloves and suitable protective clothing.							
				e exceeded, wear suitable respirator that meets			nealth and		
		safety standards		e encection, mour contable roopirator indemotie		Sapadonun	.cum unu		

SESSION.SPRAY

SAFETY DATA SHEET

		Refer to Section 5 for fire personal protective equipment.					
		Do not eat, drink or smoke during product use or handling. Wash hands after handling. Observe good personal					
		hygiene measures. Routinely wash work clothing and protective equipment.					
	Environmental	Environmental manager must be informed of all major releases.					
	Exposure Controls:						
050							
		d Chemical Properties					
9.1		Physical and Chemical Properties:					
		Clear light yellow liquid; aerosol spray					
		Fragrance					
		No data available on this product					
	-	8.3 - 10.0 (concentrate)					
	Melting Point:	Not applicable due to form of product					
	Freezing Point:	No data available on this product					
	Initial Boiling						
	Point/Boiling Range:	Dimethyl Ether: -25°C (-13°F); Ethanol: 78.2°C (173°F)					
		Dimethyl Ether: -41°C (-42°F) closed cup; Ethanol: 13°C (55°F): closed cup					
		No data available on this product					
	Elammability (solid						
	gas):	INO DATA AVAIJADIE ON THIS DRODUCT					
	Upper/Lower						
	Flammability or	UEL: 27.0% (Dimethyl Ether), 19.0% (Ethanol)					
	Explosive Limits:	LEL: 3.4% (Dimethyl Ether), 3.3% (Ethanol)					
	Explosive Ellints:	35 - 45 psig @ 21°C (70°F)					
	Vanor Density:	No data available on this product					
	Relative Density.						
	Relative Density (water=1.0):	0.808 - 0.832					
		No data available on this product					
		Ethanol: -0.31 Log K _{ow}					
		Dimethyl Ether: 0.10 Log K _{ow}					
	Temperature:	No data available on this product					
	Decomposition	No data available on this product					
	-	No data available on this product					
		No data available on this product					
		No data available on this product					
9.2	Other Information:	No relevant additional information available on this product.					
	FION 10: Stability a						
	-	The product is not reactive under normal conditions of use, storage and transport.					
10.2	Chemical Stability:	The product is stable under normal handling and storage conditions.					
	Possibility of	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.					
	Hazardous Reactions:						
10.4	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.					
	Incompatible	Strong acids, bases, and oxidizing agents.					
	Materials:						
	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on					
	Decomposition	combustion.					
	Products:						
050							
	FION 11: Toxicologi						
		logical Effects: No data available on the mixture. Health effects of the mixture are derived from ingredient					
		trations present, and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS]. If available, relevant					
		of the components that contribute to classification of the mixture in Section 3 are provided. Evaluations for the					
		n additional information not shown. The product uses ingredients presented herein from suppliers that have not					
		n animals for cosmetic purposes since the 11-March-2009 time table set forth by the EU Commission in					
	accordance with EU Cos	smetic Directive (EC) No. 1223/2009.					

SAFETY DATA SHEET

SESSION.SPRAY

	Eye Exposure: Direct contact with eyes may cause eye irritation. Symptoms may include mild stinging,
Hoalth Effocts and	tearing, and redness.
	Skin Exposure: No adverse effects expected from normal use. Prolonged or repeated skin exposure may
	cause defatting, drying and cracking of the skin.
	Ingestion: Not a likely route of exposure due to the form of the product. May cause gastrointestinal
	discomfort/irritation if swallowed.
	Inhalation: No adverse effects expected from normal use. Intentional misuse by deliberately concentrating
	and inhaling the contents may cause nausea, vomiting, and signs of central nervous system depression
	(headache_dizziness_and drowsiness) and rapid suffocation by displacing oxygen
Potential Chronic	
Health Effects:	None known
	Product Summary/Conclusion: Based on available data, classification criteria are not met.
	Ethanol: CAS 64-17-5
	Oral LD50: 7060 mg/kg (Rat)
	Dermal LD50: 20,000 mg/kg (Rabbit)
	Inhalation LC50: > 60,000 ppm (114 mg/L), 1 hour (Mouse)
	Dimethyl Ether: CAS 115-10-6
	Oral Toxicity: Study technically not feasible
	Dermal Toxicity: Study technically not feasible
	Inhalation LC50: 164,000 ppm (309 mg/L), 4 hours (Rat)
Skin Corrosion/	Product Summary/Conclusion: Based on available data, classification criteria are not met.
	Ethanol: CAS 64-17-5
Initation.	
	Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating
	Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme repeat
	dose situations
	Dimethyl Ether: CAS 115-10-6
	Study technically not feasible
Serious Eye	Product Summary/Conclusion: Causes eye irritation.
	Ethanol: CAS 64-17-5
	Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): Moderately irritating
	Draize Eye Irritation, Rabbit (25-50% active): Non-irritating
	Dimethyl Ether: CAS 115-10-6
	Study technically not feasible
Descriptory on Chin	
	Product Summary/Conclusion: Based on available data, classification criteria are not met.
Sensitization:	Ethanol: CAS 64-17-5
	Respiratory Sensitization: No reports of human respiratory sensitization
	Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.
	Dimethyl Ether: CAS 115-10-6
	Respiratory Sensitization: No evidence of respiratory sensitization during inhalation exposures.
	Skin Sensitization: Study technically not feasible
	Product Summary/Conclusion: Based on available data, classification criteria are not met. No components
Mutagenicity:	at levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP].
Mutagenicity:	at levels greater than or equal to 0.1% are listed as a mutagen in EU Regulation (EC) No. 1272/2008 [CLP]. Ethanol: CAS 64-17-5
Mutagenicity:	
Mutagenicity:	Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to
Mutagenicity:	Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation
Mutagenicity:	Ethanol: CAS 64-17-5 <i>In-vitro</i> : Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6
Mutagenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and
Mutagenicity:	Ethanol: CAS 64-17-5 <i>In-vitro</i> : Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 <i>In-vitro</i> : Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation
Mutagenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in
Mutagenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster
Mutagenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster
Mutagenicity: Carcinogenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation
Mutagenicity: Carcinogenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation
Mutagenicity: Carcinogenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/20 [CLP].
Mutagenicity: Carcinogenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/20 [CLP]. Dimethyl Ether: CAS 115-10-6
Mutagenicity: Carcinogenicity:	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vivo: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/20 [CLP]. Dimethyl Ether: CAS 115-10-6 Combined Chronic Toxicity/Carcinogenicity, OECD 453, Rat, Inhalation: Not carcinogenic
Mutagenicity: Carcinogenicity: Reproductive	 Ethanol: CAS 64-17-5 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium up to maximum plate concentration of 10 mg/plate, with and without metabolic activation Dimethyl Ether: CAS 115-10-6 In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salmonella typhimurium and Escherichia coli, with and without metabolic activation In-vitro: Negative up to 3% (30,000 ppm) concentration for sex-linked recessive lethal mutations in Drosophilia melanogaster Product Summary/Conclusion: Based on available data, classification criteria are not met. No components at levels greater than or equal to 0.1% are listed as a human carcinogen in EU Regulation (EC) No. 1272/20 [CLP]. Dimethyl Ether: CAS 115-10-6

SESSION.SPRAY

SAFETY DATA SHEET

		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm, NOAEL (teratogenicity) \geq 20,000 ppm (highest concentration tested)
		Dimethyl Ether: CAS 115-10-6
		Chronic Toxicity, OECD 452, Rat, Inhalation: NOAEL 25,000 ppm (highest concentration tested) - No adverse effects on reproductive organs or tissues
		Prenatal Developmental Toxicity, OECD 414, Rat: NOAEL (maternal systemic effects) 1250 ppm, NOAEL (fetal developmental effects) 40,000 ppm
	STOT-Single Exposure:	Based on available data, classification criteria are not met.
	STOT-Repeated	Product Summary/Conclusion: Based on available data, classification criteria are not met.
	Exposure:	Ethanol: CAS 64-17-5
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC <u>></u> 6130 ppm
		Dimethyl Ether: CAS 115-10-6 Chronic Toxicity, OECD 452, Rat, Inhalation: NOAEL 47106 mg/m ³
	Achiration Hozard	Not classified due to form of the product.
		No other relevant information available.
	Other Information:	
SEC	TION 12: Ecologica	
		Product Summary/Conclusion: Based on available data, classification criteria are not met.
12.1	Toxicity:	No data available on the mixture. Environmental toxicity of the mixture derived from ingredient information,
		concentrations present and in accordance with EU Regulation (EC) No. 1272/2008 [CLP/GHS].
		Ethanol: CAS 64-17-5
		Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)
		Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)
		Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
		Dimethyl Ether: CAS 115-10-6
		Aquatic Plants EC50: 154.9 mg/L, 96 hours, ECOSAR Calculation (Green Algae)
		Crustacea EC50: > 4400 mg/L, 48 hours (Daphnia magna)
		Fish LC50: > 4100 mg/L, 96 hours (Poecilia reticulate)
12.2	Persistence and	Ethanol: CAS 64-17-5
	Degradability:	Readily biodegradable
		Dimethyl Ether: CAS 115-10-6
		OECD 301D (closed bottle test): Not readily biodegradable
12.3	Bioaccumulative Poter	ntial:
	Partition Coefficient:	Ethanol (CAS 64-17-5): -0.31 (log K _{ow})
	n-octanol/water	Dimethyl Ether (CAS 115-10-6): 0.10 (log K _{ow})
	Bioconcentration Factor (BCF):	Not available
12.4	Mobility in Soil:	Not available
12.5	Results of PBT and	Not available
	vPvB Assessment:	
12.6	Other Adverse Effects:	No other known adverse environmental effects or critical hazards.
SEC	TION 13: Disposal (Considerations
	Waste Treatment Meth	
_		Dispose of waste material and containers in accordance with appropriate local, regional, and national
	Waste Disposal:	regulations. Do not dispose through sewage. Empty containers should be taken to an approved waste handling
		site for recycling or disposal.
	Special Precautions:	Empty container may retain product residue. Observe all precautions for ignitable waste and pressurized container.

SAFETY DATA SHEET

SESSION.SPRAY

SEC		anchart	Information						
SEC	Shipment in		Information						
	Packaging - Limited Quantity: Maximum gross weight per package < 30 kg		RID (Rail)	IMDG (Sea)	IATA (Air)				
14 1	UN Number:	aye <u><</u> 30 ky	Not applicable	UN1950	ID8000				
	UN Proper SI	hinning							
	Name:	inpping	Not applicable	Aerosols	Consumer Commodity				
	Transport Ha	azard	Not applicable	2.1	9				
	Classes:								
			\bigcirc	\bigcirc					
14.4	Packing Gro	up:	None	None	None				
14.5	14.5 Environmental		None	None	None				
	Hazards:								
	Special Preca for User:		Transport within user's premises: Transport in closed containers that are upright and secure. Read emergency procedures before handling.						
14.7	Transport in According to of Marpol and Code:	Annex II	Not applicable						
050									
			y Information	na sifis fan tha Cultatanas an Mi					
15.1			vironmental Regulations/Legislation Sp b. 1907/2006 REACH Article 59(10) and						
		2012/18/EU on major accident hazards involving dangerous substances: Dimethyl Ether (CAS 115-10-6),							
	Ethanol (CAS								
	EU Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended: No components in								
	this product are listed.								
	EU Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I, as amended: No components in this product are EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as								
	EU Regulation (EC) No. 649/2012 concerning export/import of dangerous chemicals, Annex I (parts 1 - 3) & Annex V, as amended: No components in this product are listed.								
	EU Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry: No components in this product are listed.								
		ational Regulations of EU Member States: Follow national regulations for work with chemical agents.							
			Class (WGK) for Mixture: WGK 1	-					
15.2	Chemical Sat								
	Assessment:								
SEC.		har lufa							
	TION 16: Of			al Carriage of Departure Cood	a by Inland Waterwaye				
Lege	eviations:		opean Agreement Concerning Internation						
ADDIG		ADR: European Agreement Concerning International Carriage of Dangerous Goods by Road AFS: Work Environment Provisions							
		AGS: Committee on Hazardous Substances							
		AGW: Occupational Limit Values							
			mical Abstracts Service						
		CLP: Classification, Labelling and Packaging of Substances and Mixtures (EC No. 1272/2008)							
			mmission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (known as the MAK						
	Commissi EC: Europ EC50: Eff EL: Expos ELV: Expo								
			pean Commission						
			fective Concentration, 50%						
			sure Limits posure Limit Values						
			pean Union						
			bally Harmonized System of Classification and Labelling Chemicals						
			rnational Air Transport Association						
			mediate Bulk Container						
		IOELV: In	dicative Occupational Exposure Limit Val	lues					
L		IMDG: Inte	ernational Maritime Dangerous Goods						

SAFETY DATA SHEET

SESSION.SPRAY

	INRS: The French National Research and Safety Institute for the Prevention of Occupational Accidents and Diseases
	INSHT: National Institute for Occupational Safety and Health
	IPRV: Long Term Exposure Limit Value LC50: Lethal Concentration, 50%
	· ·
	LD50: Lethal Dose, 50%
	LOAEL: Lowest Observed Adverse Effect Level
	Log K _{ow} : Logarithm of the n-octanol/water partition coefficient
	MAC: Maximum Workplace Concentrations
	MAK: Maximum Workplace Concentrations
	NE: Not Established
	NOAEC: No Observed Adverse Effect Concentration
	NOAEL: No Observed Adverse Effect Level
	OECD: Organisation for Economic Co-operation and Development
	OEL: Occupational Exposure Limit
	OELV: Occupational Exposure Limit Value
	PBT: Persistent, Bioaccumulative, and Toxic
	vPvB: very Persistent and very Bioaccumulative
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID: Regulations Concerning International Carriage of Dangerous Goods by Rail
	SER: Social and Economic Council of the Netherlands
	STEL: Short Term Exposure Limits
	STOT: Specific Target Organ Toxicity
	TLV: Threshold Limit Value
	TRGS: Technical Rules for Hazardous Substances
	TWA: Time Weighted Average
	UN: United Nations
	VLEP: Occupational Exposure Limit Values
	VME: Limit Value of Average Exposure
	WEL: Workplace Exposure Limits
Evaluation Metho	ds Used for Classification of the Mixture According to EU Regulation (EC) No. 1272/2008: Calculation method
	It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult
Training Advice:	resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any
J	hazards associated with the product.
Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this
	product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be
	accurate as of the date of publication. This information is offered in good faith by Kevin Murphy Business Services Pty
	Ltd and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or
	implied, are provided. If this product is combined with other materials, all component properties must be considered. The
	user assumes all liability for any damage or from any hazards inherent in the nature of the product.
Last Revision	
Date:	16Jul21
Revision	
	Updated section 1.