

# Rituals - Refreshing Spray - Sakura

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

	uct identifier			
Product form	1:	Mixture		
rade name	: 1	Rituals - Refreshing Spray - Sakura	a	
.2. Relev	vant identified uses of the substance	e or mixture and uses advised a	gainst	
2.1. Relev	ant identified uses			
tended for ge	neral public			
ain use categ	ory : (	Consumer use		
.2.2. Uses	advised against			
	formation available			
	Is of the supplier of the safety data	sheet		
	etics Enterprise			
P.O. Box 1550	0   1001 NA Amsterdam			
Herengracht 5	41 1017 BW Amsterdam, The Nethe	rlands		
SDS Contact: Phone Numbe	qualityenquiries@rituals.com r: +31 (0)20 333 91 00 (9:00-17:00)			
	gency telephone number			
Country		Address	Emergeney number	Commont
Belgique	Organisation/Company Centre Anti-	Address Rue Bruyn	Emergency number +32 70 245 245	Comment
Deigique	Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	B -1120 Brussels	+32 70 243 243	
France	ORFILA		+33 1 45 42 59 59	
ECTION 2	Hazards identification			
	sification of the substance or mixtu			
lassification	according to Regulation (EC) No. 1	272/2008 [CLP]		
lot classified				
ot classified				
dverse physi	cochemical, human health and env	ironmental effects		
dverse physi	<b>cochemical, human health and env</b> formation available	ironmental effects		
<b>dverse phys</b> i o additional ir	·	ironmental effects		
dverse physi lo additional ir .2. Labe	formation available			
dverse physi lo additional ir .2. Labe abelling acco	formation available I elements rding to Regulation (EC) No. 1272/2	2008 [CLP]		
dverse physi lo additional ir .2. Labe abelling acco	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed,		abel at hand
dverse physi lo additional ir .2. Labe abelling acco	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer		label at hand
dverse physi o additional ir .2. Labe abelling acco	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed,		abel at hand
dverse physi lo additional ir .2. Labe abelling acco recautionary s	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed,		label at hand
dverse physi lo additional ir .2. Labe abelling accorrecautionary s .3. Othe	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed,		abel at hand
dverse physi o additional ir .2. Labe abelling accorrecautionary s .3. Othe o additional ir	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP) : F F tatements (CLP) : F f tatements (CLP) : F f f f f f f f f f f f f f	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		abel at hand
dverse physi o additional ir 2. Labe abelling accorrecautionary s 3. Othe o additional ir	formation available <b>elements</b> rding to Regulation (EC) No. 1272/2 tatements (CLP)	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		label at hand
dverse physico additional in a constraint of a	formation available I elements rding to Regulation (EC) No. 1272/2 tatements (CLP) : F F tatements (CLP) : F f tatements (CLP) : F f f f f f f f f f f f f f	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		label at hand
dverse physi lo additional ir 2. Labe abelling accorrecautionary s 3. Othe lo additional ir ECTION 3 1. Subs	formation available  I elements  rding to Regulation (EC) No. 1272/2 tatements (CLP)  hazards formation available  Composition/information o	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		abel at hand
dverse physi o additional ir 2. Labe abelling accorrecautionary s 3. Othe o additional ir ECTION 3 1. Subs ot applicable	formation available  I elements  rding to Regulation (EC) No. 1272/2 tatements (CLP)  r hazards formation available  Composition/information o tance	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		abel at hand
lo additional ir .2. Labe abelling acco Precautionary s .3. Othe lo additional ir SECTION 3	formation available  I elements  rding to Regulation (EC) No. 1272/2 tatements (CLP)  r hazards formation available  Composition/information o tance	2008 [CLP] P102 - Keep out of reach of childrer P101 - If medical advice is needed, P261 - Avoid breathing mist		label at hand

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

### Full text of H-statements: see section 16

First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: Irritation of the respiratory tract. Possible laryngeal spasm/oedema.
Symptoms/injuries after skin contact	: temporary skin irritation (redness, swelling.
4.3. Indication of any immediate medicate No additional information available	al attention and special treatment needed
<b>SECTION 5: Firefighting measures</b> 5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	•
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
	chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	nent and cleaning up
	: Take up liquid spill into inert absorbent material, e.g.: sand, earth, vermiculite. Clean
	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up         6.4.       Reference to other sections	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up           6.4.         Reference to other sections	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and personal	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and persona         SECTION 7: Handling and storage	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8.       Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling	contaminated surfaces with an excess of water. Store away from other materials.
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe handling	<ul> <li>contaminated surfaces with an excess of water. Store away from other materials.</li> <li>al protection.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour.</li> </ul>
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8.       Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe storage, include         7.2.       Conditions for safe storage, include	<ul> <li>contaminated surfaces with an excess of water. Store away from other materials.</li> <li>al protection.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour.</li> <li>Ing any incompatibilities <ul> <li>Keep container closed when not in use. Store in a dry place. Store at temperatures not exceeding 40°C</li> </ul> </li> </ul>
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe handling         7.2.       Conditions for safe storage, include         Storage conditions         Incompatible products	<ul> <li>contaminated surfaces with an excess of water. Store away from other materials.</li> <li>al protection.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour.</li> <li>Ing any incompatibilities <ul> <li>Keep container closed when not in use. Store in a dry place. Store at temperatures not exceeding 40°C</li> <li>Strong bases. Strong acids.</li> </ul> </li> </ul>
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8. Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe handling         7.2.       Conditions for safe storage, includ         Storage conditions         Incompatible products         Incompatible materials	<ul> <li>contaminated surfaces with an excess of water. Store away from other materials.</li> <li>al protection.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour.</li> <li>Ing any incompatibilities <ul> <li>Keep container closed when not in use. Store in a dry place. Store at temperatures not exceeding 40°C</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> </ul> </li> </ul>
Methods for cleaning up         6.4.       Reference to other sections         See Heading 8.       Exposure controls and persona         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Precautions for safe handling	<ul> <li>contaminated surfaces with an excess of water. Store away from other materials.</li> <li>al protection.</li> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour.</li> <li>Ing any incompatibilities <ul> <li>Keep container closed when not in use. Store in a dry place. Store at temperatures not exceeding 40°C</li> <li>Strong bases. Strong acids.</li> </ul> </li> </ul>



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

ethanol (64-17-5)		
Belgium	Limit value (mg/m <sup>3</sup> )	1907 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	1000 ppm
France	VME (mg/m³)	Alcool éthylique,1900 mg/m <sup>3</sup> ; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative
France	VME (ppm)	Alcool éthylique,1000 ppm; France; Time-weighted average exposure limit 8 h; VL: Valeur non réglementaire indicative
France	VLE (mg/m³)	Alcool éthylique,9500 mg/m <sup>3</sup> ; France; Short time value; VL: Valeur non réglementaire indicative
France	VLE (ppm)	Alcool éthylique,5000 ppm; France; Short time value; VL: Valeur non réglementaire indicative
Netherlands	Grenswaarde TGG 8H (mg/m³)	Ethanol,260 mg/m <sup>3</sup> ; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value
Netherlands	Grenswaarde TGG 8H (ppm)	Ethanol,136 ppm; Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	Ethanol,1900 mg/m <sup>3</sup> ; Netherlands; Short time value; Public occupational exposure limit value
Netherlands	Grenswaarde TGG 15MIN (ppm)	Ethanol,992 ppm; Netherlands; Short time value; Public occupational exposure limit value
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm

### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

Wear protective gloves

### Eye protection:

Safety glasses

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemica		
9.1. Information on basic physical and		
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: Colourless.	
Odour	: fresh.	
Odour threshold	: No data available	
рН	: 6-7	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
7/11/2010	EN (English)	2/7



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

Density	: 0.983 - 1.003 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: ≤ 50 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
Not est	ablished.
10.3.	Possibility of hazardous reactions
Not est	ablished.
10.4.	Conditions to avoid
Direct s	sunlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Strong	acids. Strong bases.
10.6.	Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
ethanol (64-17-5)			
LD50 oral rat	10740 mg/kg bodyweight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)		
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)		
Skin corrosion/irritation	: Not classified		
	pH: 6 - 7		
Additional information	: Based on available data, the classification criteria are not met		
Serious eye damage/irritation	: Not classified		
	pH: 6 - 7		
Respiratory or skin sensitisation	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Germ cell mutagenicity	: Not classified		
	Based on available data, the classification criteria are not met		
Carcinogenicity	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Reproductive toxicity	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Specific target organ toxicity (single exposure)	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Specific target organ toxicity (repeated exposure)	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Aspiration hazard	: Not classified		
Additional information	: Based on available data, the classification criteria are not met		
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

2.1. Toxicity	
othernel (64.47.5)	
ethanol (64-17-5) LC50 fish 1	14200 mg/l (96 h; Pimephales promelas; Nominal concentration)
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)
2.2. Persistence and degradability	
Rituals - Refreshing spray Sakura	
Persistence and degradability	Not established.
ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
2.3. Bioaccumulative potential	
Rituals - Refreshing spray Sakura	
Bioaccumulative potential	Not established.
ethanol (64-17-5)	
Log Pow	-0.35 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 24 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2.4. Mobility in soil	
ethanol (64-17-5) Surface tension	0.0245 N/m (20 °C)
2.5. Results of PBT and vPvB assessme	ent
No additional information available	
2.6. Other adverse effects	
Additional information	: Avoid release to the environment
SECTION 42. Dispagel consideration	
SECTION 13: Disposal consideratio	ns
3.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
n accordance with ADR / RID / IMDG / IATA / A	DN
4.1 LIN number	

**UN number** 14.1. UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable 14.2. UN proper shipping name Proper Shipping Name (ADR) : Not applicable Proper Shipping Name (IMDG) : Not applicable Proper Shipping Name (IATA) : Not applicable Proper Shipping Name (ADN) : Not applicable Proper Shipping Name (RID) : Not applicable Transport hazard class(es) 14.3. ADR 7/11/2019 EN (English) 5/7



# Rituals - Refreshing Spray - Sakura

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

Transport hazard class(es) (ADR)	: Not applicable	
IMDG		
Transport hazard class(es) (IMDG)	: Not applicable	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: Not applicable	
	. Net earlier he	
Transport hazard class(es) (ADN)	: Not applicable	
RID		
Transport hazard class(es) (RID)	: Not applicable	
14.4. Packing group		
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
Packing group (ADN)	: Not applicable	
Packing group (RID)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	
14.6. Special precautions for user		
- Overland transport		
Not applicable		
- Transport by sea		
Not applicable		
- Air transport		
Not applicable		
- Inland waterway transport Not applicable		
- Rail transport Not applicable		
14.7. Transport in bulk according to Ann	av II of MAPPOL and the IPC Code	
Not applicable		
SECTION 15: Regulatory information	n	
	gulations/legislation specific for the substance or mixture	
15.1.1. EU-Regulations		
Contains no REACH substances with Annex XV	Il restrictions	
Contains no substance on the REACH candidate		
Contains no REACH Annex XIV substances		
Composition :		
< 5 % non ionic surfactant,		
Also perfume (Benzyl salicylate, Hexyl Cinnama	I, Linalool)	
15.1.2. National regulations		
Netherlands		
SZW-lijst van kankerverwekkende stoffen : ethanol is listed		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/11/2019 Version: 0.1

SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: ethanol is listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product